

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
5	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand) : Block Blue Light 品名(Name) : 燈 (Lamp) 型號 (Model) : BBL-MM-LAMP	由於過充保護機制出現故障，電池可能會過充過熱，從而可能導致火災。 該產品不符合通用產品安全指令的要求。 Due to a fault with the overcharge protection mechanism, the battery can overcharge and overheat which may lead to a fire. The product does not comply with the requirements of the General Product Safety Directive.	從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users	
6	北愛爾蘭 (Northern Ireland)	品牌(Brand) : 不詳 (unknown) 品名(Name) : 融蠟燈 (Wax warmer) 型號 (Model) : WAX-5001 WAX-5002	由於產品接地不當，絕緣層在使用過程中可能會損壞。這可能導致用戶接觸可觸及的帶電部件並觸電。 該產品不符合低壓指令的要求，也不符合歐洲標準 EN 60335-1 和 EN 60335-2-15。 As the product is not properly earthed, the insulation can break down during use. This can lead the user to touch accessible live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60335-1 and EN 60335-2-15.	邊境拒絕進口 Import rejected at border	
6	北愛爾蘭 (Northern Ireland)	品牌(Brand) : 不詳 (unknown) 品名(Name) : 融蠟燈 (Wax warmer) 型號 (Model) : RH008	該產品電源插頭未安裝足夠的保險絲。如果發生電氣故障，保險絲可能會從牆上爆炸，從而引起火災。該產品的絕緣也不足，導致帶電部件觸及。因此，用戶可能會觸電。 該產品不符合低壓指令的要求 The product mains plug is not fitted with an adequate fuse link. Should an electrical fault occur, the fuse can explode from the wall, causing a fire. The product is also insufficiently insulation, which makes live parts accessible. The user can therefore receive and electric shock. The product does not comply with the requirements of the Low Voltage Directive	邊境拒絕進口 Import rejected at border	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	北愛爾蘭 (Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：智能月光燈 (Smart Moon Light) 型號 (Model)：HD-2MX	<p>插頭插腳太寬，無法正確插入插座。隨著時間的推移，插腳可能會磨損和/或插座上的連接器可能會損壞，導致過熱和插頭著火。產品不符合低壓指令的要求</p> <p>The plug pins are too wide and do not properly fit into the socket. Over time the pins may become worn down and/or there may be damage to the connectors on the socket, causing it to overheat and the plug catching fire.</p> <p>the product does not comply with the requirements of the Low Voltage Directive</p>	邊境拒絕進口 Import rejected at border	
6	北愛爾蘭 (Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：適配器 (Adaptor) 型號 (Model)：M56421DA6513	<p>插頭安裝的保險絲不合適，沒有顆粒填充物。此外，電源線的橫截面積不足。插頭可能過熱並著火，從而引起火災。該產品不符合低壓指令的要求</p> <p>The plug is fitted with an inadequate fuse with no granular filler. Additionally, the supply cord's cross-sectional area is not sufficient. The plug can overheat and ignite, causing a fire.</p> <p>The product does not comply with the requirements of the Low Voltage Directive</p>	邊境拒絕進口 Import rejected at border	
6	北愛爾蘭 (Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：融蠟燈 (Wax warmer) 型號 (Model)：YSM-5005-A	<p>該產品接地不當，在正常使用過程中絕緣層可能會損壞，導致帶電部件觸及。因此，用戶可能會觸電。該產品不符合低壓指令的要求</p> <p>The product is inadequately earthed and the insulation can break down during normal use, making the live parts accessible. The user can therefore receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive</p>	邊境拒絕進口 Import rejected at border	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
8	北愛爾蘭 (Northern Ireland)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：雞蛋孵化箱 (Egg Incubator) 型號 (Model)：HG-12-6A</p>	<p>初級電路和可觸及次級電路之間的電氣絕緣和間隙/爬電距離不足。用戶可能會因可觸及帶電部件而觸電。產品接地不正確。如果電器/電源發生電氣故障，保險絲將無法防止產品過熱，從而引起火災。 該產品不符合低壓指令的要求，也不符合歐洲標準 EN 62368-1。 The electrical insulation and the clearance/creepage distance between the primary and accessible secondary circuits are not sufficient. A user can receive an electric shock from accessible live parts. The product is incorrectly earthed. If an electrical fault occurred with the appliance/power supply, the fuse would not prevent the product from overheating, causing a fire. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	<p>邊境拒絕進口 Import rejected at border 產品銷毀 Destruction of the product</p>	
5	匈牙利 (Hungary)	<p>品牌(Brand)：GW 品名(Name)：吹風機 (Hair dryer) 型號 (Model)：GW-555</p>	<p>產品中的焊料鉛濃度過高（按重量計測量值高達 46%）。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令（RoHS 2 指令）的要求。 The cable is not properly anchored and the accessible wires have inadequate insulation. The user could touch accessible live parts, which may cause an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60335.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	
5	匈牙利 (Hungary)	<p>品牌(Brand)：XWATT 品名(Name)：燈串 (Lighting chain) 型號 (Model)：XW-CL-002</p>	<p>電纜未牢固固定（缺少電纜應力消除裝置）並且絕緣層不足。帶電部件可能會被觸及，用戶可能會觸摸它們並受到電擊。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598。 The cable is not securely anchored (missing cable strain relief) and has inadequate insulation. Live parts may become accessible, a user can touch them and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	



2025年2月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
8	西班牙 (Spain)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：燈串 (Lighting chain) 型號 (Model)：不詳 (unknown)</p>	<p>該產品的電纜直徑不夠，因此容易發熱，造成用戶燙傷的風險。此外，帶電部件容易接觸，用戶可能接觸到它們並觸電。該產品不符合低壓指令的要求，也不符合歐洲標準 EN 60598。The cable of the product has an insufficient diameter, hence heating up easily and creating a risk of burns for the user. Moreover, live parts are accessible, a user can touch them and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	<p>禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures</p>	
8	西班牙 (Spain)	<p>品牌(Brand)：GREEN LYCA 品名(Name)：旅行適配器 (Travel adaptor) 型號 (Model)：G-1028</p>	<p>適配器的擋板無法承受細小物體的插入，導致帶電部件易於接觸，增加了用戶觸電的風險。此外，連接設備的電流可能超過適配器的承受能力。這會導致適配器過熱，如果觸摸會導致灼傷。該產品不符合低電壓指令的要求。The shutters of the adaptor are not resistant enough to thin object insertion, leading live parts to become accessible, increasing the risk for the user to receive an electric shock. Moreover, it is possible to connect devices with a higher current than the adaptor can withstand. This can cause the adaptor to overheat and result in burns if it is touched. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
5	克羅埃西亞 (Croatia)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：燈串 (Lighting chains) 型號 (Model)：ASW1722</p>	<p>該產品絕緣性能不足。帶電部件可能會被觸及，用戶可能會觸摸它們並受到電擊。該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598-2-20、EN 60598-1、EN 61347-1、EN 61347-2-11 和 EN 61347-2-13。The product has inadequate insulation. Live parts may become accessible, a user can touch them and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60598-2-20, EN 60598-1, EN 61347-1, EN 61347-2-11 and EN 61347-2-13.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	

2025年2月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	法國 (France)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：LED/UV 指甲燈 (LED/UV nail lamp) 型號 (Model)：不詳 (unknown)</p>	<p>用作初級電路和次級電路之間保護阻抗的電容器不夠充分。用戶可能會接觸帶電部件並受到電擊。 該產品不符合低壓指令的要求，也不符合歐洲標準 EN 61558-2-16 和 EN 61558-1。 The capacitors used as protective impedance between the primary circuit and the secondary circuit are inadequate. The user can have access to live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 61558-2-16 and EN 61558-1.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	
6	法國 (France)	<p>品牌(Brand)：CHENGRUI 品名(Name)：LED/UV 指甲燈 (LED/UV nail lamp) 型號 (Model)：Sun C2</p>	<p>用作初級電路和次級電路之間保護阻抗的電容器不夠充分。用戶可能會接觸帶電部件並受到電擊。 該產品不符合低壓指令的要求，也不符合歐洲標準 EN 61558-2-16 和 EN 61558-1。 The capacitors used as protective impedance between the primary circuit and the secondary circuit are inadequate. The user can have access to live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 61558-2-16 and EN 61558-1.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	
6	法國 (France)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：夜燈 (Night light) 型號 (Model)：605508</p>	<p>電池倉無需使用工具即可輕鬆打開。兒童可能會將鈕扣電池放入口中，這可能會導致兒童窒息，或者如果吞下電池，可能會損害兒童的胃腸道。 該產品不符合通用產品安全指令的要求。 The battery compartment is easily opened without the use of tools. A child may put the button batteries in the mouth, which could cause the child to choke or if they are swallowed, they could cause damage to the child's gastrointestinal tract. The product does not comply with the requirements of the General Product Safety Directive.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace 從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	

2025年2月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	法國 (France)	<p>品牌(Brand) : EATON 品名(Name) : 電源延長線 (Extension lead) 型號 (Model) : PB6TUD Eaton Protection Box 6 Tel@ USB DIN PB6TUF Eaton Protection Box 6 Tel@ USB FR PB6UD Eaton Protection Box 6 USB DIN PB6UF Eaton Protection Box 6 USB FR PB8TUD Eaton Protection Box 8 Tel@ USB DIN PB8TUF Eaton Protection Box 8 Tel@ USB FR</p>	<p>導體固定不夠牢固，如果鬆動，導體正極部分和可觸及部件之間的爬電距離會減小。此外，在印刷電路板上，在焊接側，初級和次級電路之間的爬電距離太小。用戶可能會接觸帶電部件並觸電。 該產品不符合低壓指令的要求，也不符合歐洲標準 EN 62368-1。 A conductor is not sufficiently secured and if loosened, the creepage distances between the positive parts of the conductor and the accessible parts can reduce. Additionally, on the printed circuit board, on the solder side, the creepage distance between the primary and secondary circuits is too small. The user may touch live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	
8	法國 (France)	<p>品牌(Brand) : Yoto 品名(Name) : 手機音響 (Mobile speaker) 型號 (Model) : From 1FE to 8FE</p>	<p>電池可能有故障，導致過熱。這會增加產品起火的風險。 該產品不符合玩具安全指令的要求，也不符合歐洲標準 EN 62115。 The battery may be faulty, leading it to overheat. This increases the risk of the product catching fire. The product does not comply with the requirements of the Toy Safety Directive nor with the European standard EN 62115.</p>	<p>從市場撤回 Withdrawal of the product from the market 警告消費者風險 Warning consumers of the risks</p>	
8	法國 (France)	<p>品牌(Brand) : BESTRON 品名(Name) : 桌上型風扇 (Desk fan) 型號 (Model) : DDF35W</p>	<p>按照清潔說明拆卸可拆卸部件後，電機軸和維護電機的螺釘即可接觸。用戶可能接觸帶電部件並受到電擊。 該產品不符合低電壓指令的要求。 When the removable part is removed in accordance with the cleaning instructions, the motor axis and the screws which maintain the motor, are accessible. The user can have access to live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market 警告消費者風險 Warning consumers of the risks</p>	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	波蘭 (Poland)	品牌(Brand) : Anlux 品名(Name) : LED 燈 (LED light) 型號 (Model) : LED-PF-GALI-8W-NW	<p>燈具絕緣不足，導致帶電部件可觸及。因此，使用者可能會觸電。該產品不符合低壓指令的要求，也不符合相關標準 IEC 60884-1。</p> <p>The insulation of the light is inadequate, making live parts accessible. The user can therefore receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the relevant standard IEC 60884-1.</p>	從市場撤回 Withdrawal of the product from the market 警告消費者風險 Warning consumers of the risks	
5	芬蘭 (Finland)	品牌(Brand) : Finbullet 品名(Name) : 手工具 (Hand tools) 型號 (Model) : 1078	<p>手柄的塑膠材料含有過量的鄰苯二甲酸二(2-乙基己基)酯(DEHP) (測量值：按重量計 39%)。這種鄰苯二甲酸鹽可能會損害使用者的健康，可能會對生殖系統造成損害。</p> <p>該產品不符合 REACH 法規。</p> <p>The plastic material of the handles contains an excessive amount of bis(2-ethylhexyl) phthalate (DEHP) (measured value: 39% by weight). This phthalate may harm the health of users, possibly causing damage to the reproductive system. The product does not comply with the REACH regulation.</p>	邊境拒絕進口 Import rejected at border	
7	芬蘭 (Finland)	品牌(Brand) : PDFastCharge 品名(Name) : USB 充電器 (USB charger) 型號 (Model) : BK-384	<p>該產品的帶電電壓 230V 與可觸摸的二次側之間的絕緣不足。用戶可能會觸摸可觸及的帶電部件並受到電擊。</p> <p>該產品不符合低壓指令的要求，也不符合歐洲標準 EN 62368-1。</p> <p>The product has inadequate insulation between the live voltage 230V and touchable secondary side. The user could touch accessible live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	終端使用者手中召回產品 Recall of the product from end users	
7	芬蘭 (Finland)	品牌(Brand) : ActionSportGames 品名(Name) : 電池充電器 (Battery charger) 型號 (Model) : HYT-0840500E	<p>充電器外殼的機械強度不夠，容易接觸帶電部件。用戶可能會觸摸它們並觸電。</p> <p>該產品不符合低壓指令的要求，也不符合歐洲標準 EN 60335</p> <p>The mechanical strength of the charger enclosure is not sufficient, giving easy access to live parts. The user can touch them and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60335</p>	禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures 終端使用者手中召回產品 Recall of the product from end users	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
7	芬蘭 (Finland)	品牌(Brand) : PrestiCo® 品名(Name) : USB 充電器 (USB charger) 型號 (Model) : F7	<p>電氣絕緣不足，一次電路和可觸及二次電路之間間隙/爬電距離不足。用戶可能接觸帶電部件並受到電擊。</p> <p>該產品不符合低壓指令的要求，也不符合歐洲標準 EN 62368。</p> <p>The electrical insulation is inadequate and the clearance /creepage distances between the primary and accessible secondary circuits are not sufficient. The user can access live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368.</p>	終端使用者手中召回產品 Recall of the product from end users	
7	芬蘭 (Finland)	品牌(Brand) : Marvêlle 品名(Name) : USB 充電器 (USB charger) 型號 (Model) : SMS-A78	<p>帶電初級電路和可觸及次級電路之間的爬電距離不夠。用戶可能會接觸帶電部件並受到電擊。</p> <p>該產品不符合低壓指令的要求，也不符合歐洲標準 EN 62368-1。</p> <p>The creepage distance between the live primary and accessible secondary circuit is not adequate. The user may touch live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	終端使用者手中召回產品 Recall of the product from end users	
8	芬蘭 (Finland)	品牌(Brand) : AC Adapter 品名(Name) : 電池充電器 (Battery charger) 型號 (Model) : SSH-96W	<p>帶電初級部件和可觸及的 USB 輸出連接器之間的絕緣不足。用戶可能會被可觸及的帶電部件觸電。</p> <p>該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 62368-1。</p> <p>The insulation between the live primary parts and the accessible USB output connector is not adequate. A user could receive an electric shock from accessible live parts.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	終端使用者手中召回產品 Recall of the product from end users	
8	芬蘭 (Finland)	品牌(Brand) : LVSun electronics 品名(Name) : USB 充電器 (USB charger) 型號 (Model) : GaN TRG-160	<p>初級電路和可接觸次級電路與變壓器絕緣之間的電氣間隙和爬電距離不足。用戶可能會接觸帶電部件並受到電擊。</p> <p>該產品不符合低壓指令的要求，也不符合歐洲標準 EN 62368。</p> <p>The clearance and creepage distance between the primary and accessible secondary circuits and the transformer insulation are not sufficient. The user can access live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368.</p>	終端使用者手中召回產品 Recall of the product from end users	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
7	捷克 (Czechia)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：露營燈 (Camping lantern) 型號 (Model)：YY858</p>	<p>更換燈籠時，用戶可接觸電源的帶電部件，可能觸電。產品還缺少必要的標籤、安全資訊和使用說明 產品不符合低壓指令的要求，也不符合歐洲標準 EN 60598。 When changing the lantern, live parts of the power supply are accessible to the user, who can receive an electric shock. The product also lacks the necessary labeling, safety information and instructions for use the product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	<p>禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures 從市場撤回 Withdrawal of the product from the market</p>	
5	愛爾蘭 (Ireland)	<p>品牌(Brand)：Radley 品名(Name)：杯子套裝 (Socks and mug set) 型號 (Model)：不詳 (unknown)</p>	<p>由於製造缺陷，在加入沸水時，杯底可能會脫落，導致使用者被燙傷。 該產品不符合通用產品安全指令的要求。 Due to a manufacturing defect, the base of the mug may detach when boiling water is added, causing a user to get scalded. The product does not comply with the requirements of the General Product Safety Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	
5	愛爾蘭 (Ireland)	<p>品牌(Brand)：Cashel Living 品名(Name)：碎冰機 (Ice crusher) 型號 (Model)：600813A</p>	<p>螺釘的螺紋較弱，可能會從產品上脫落並落入碎冰中。然後螺釘可能會被使用者吞下，從而導致窒息。 該產品不符合一般產品安全法規。 The screw has a weak thread which can detach from the product and fall into the crushed ice. The screw then could be swallowed by a user, who can choke on it. The product does not comply with the General Product Safety Regulation.</p>	<p>終端使用者手中召回產品 Recall of the product from end users</p>	
6	愛爾蘭 (Ireland)	<p>品牌(Brand)：DIVANTE 品名(Name)：電熱毯 (Electric blanket) 型號 (Model)：071645</p>	<p>該產品的電阻器可能會燒壞，導致毯式電纜過熱。過熱會導致塑膠電纜蓋融化，從而引起火災並燙傷用戶。 該產品不符合低電壓指令的要求。 The resistor of the product might burn out, causing the blanket cable to overheat. The overheating can cause the plastic cable cover to melt, causing a fire and burns to the user. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
5	瑞典 (Sweden)	<p>品牌(Brand) : MOB 品名(Name) : 揚聲器 (Speaker) 型號 (Model) : DA-07</p>	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 57.9%)。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured value up to 57.9 % by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
5	瑞典 (Sweden)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 耳機 (Headphones) 型號 (Model) : 102384</p>	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 80.6%)。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured value up to 80.6% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace 從市場撤回 Withdrawal of the product from the market</p>	
5	瑞典 (Sweden)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 智慧手錶 (Smartwatch) 型號 (Model) : 不詳 (unknown)</p>	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 78.3%)。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured value up to 78.3% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
5	瑞典 (Sweden)	品牌(Brand) : Alsche 品名(Name) : 旅行適配器 (Travel Charger) 型號 (Model) : S-629-M/AL-10	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 46%)。鉛對環境構成風險。</p> <p>該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。</p> <p>The solders in the product have an excessive concentration of lead (measured value up to 46% by weight). Lead poses a risk to the environment.</p> <p>The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	從市場撤回 Withdrawal of the product from the market	
5	瑞典 (Sweden)	品牌(Brand) : Hall Miba 品名(Name) : 手電筒 (Flashlight) 型號 (Model) : 712 08 20	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 81.5%)。鉛對環境構成風險。</p> <p>該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。</p> <p>The solders in the product have an excessive concentration of lead (measured value up to 81.5% by weight). Lead poses a risk to the environment.</p> <p>The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	從市場撤回 Withdrawal of the product from the market	
5	瑞典 (Sweden)	品牌(Brand) : 不詳 (unknown) 品名(Name) : 安全燈 (Safety light) 型號 (Model) : 19310	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 66%)。鉛對環境構成風險。</p> <p>該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。</p> <p>The solders in the product have an excessive concentration of lead (measured value up to 66% by weight). Lead poses a risk to the environment.</p> <p>The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	從市場撤回 Withdrawal of the product from the market	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
5	瑞典 (Sweden)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：秤 (Scale) 型號 (Model)：DZ007 MH-200</p>	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 68%)。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured value up to 68% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>邊境拒絕進口 Import rejected at border</p>	
5	瑞典 (Sweden)	<p>品牌(Brand)：OSRAM 品名(Name)：LED 燈帶 (LED strip) 型號 (Model)：DC24V</p>	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 22%)。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured value up to 22% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>邊境拒絕進口 Import rejected at border</p>	
5	瑞典 (Sweden)	<p>品牌(Brand)：CLOCK 品名(Name)：鬧鐘 (Alarm clock) 型號 (Model)：25495/3010</p>	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 76.1%)。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured value up to 76.1% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
5	瑞典 (Sweden)	<p>品牌(Brand) : Sonoff 品名(Name) : 照相機 (Camera) 型號 (Model) : GK-200MP2-B</p>	<p>產品中的焊料鉛濃度過高。(測量值高達重量的 78%)。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead. (measured value up to 78% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
5	瑞典 (Sweden)	<p>品牌(Brand) : SiGN 品名(Name) : 充電線 (Charging cable) 型號 (Model) : SKU24477-1</p>	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 56%)。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured value up to 56% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
6	瑞典 (Sweden)	<p>品牌(Brand) : Boland 品名(Name) : LED 面罩 (LED mask) 型號 (Model) : 72255</p>	<p>產品中的焊料鉛含量過高 (測量值高達 58.7% 重量)。鉛對環境構成威脅。 該產品不符合《限制在電氣和電子設備中使用某些有害物質的指令》 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured value up to 58.7% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	

2025 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	瑞典 (Sweden)	品牌(Brand) : Neverstop 品名(Name) : 頭燈 (Head lamp) 型號 (Model) : NS-45591	<p>產品中的焊料中鎘的濃度過高 (測量值高達 0.17% 重量)。鎘會在生物體內累積並對環境造成危害。此外，內部接線的塑膠材料中鄰苯二甲酸二 (2-乙基己基) 酯 (DEHP) 的濃度過高 (測量值：11.64% 重量)。DEHP 對人體健康構成威脅。這種鄰苯二甲酸酯可能會損害生殖系統，從而危害健康。</p> <p>該產品不符合《關於限制在電氣和電子設備中使用某些有害物質的指令》 (RoHS 指令) 和 REACH 法規的要求。</p> <p>The solders in the product have an excessive concentration of cadmium (measured value up to 0.17 % by weight). Cadmium bio-accumulates and poses a risk to the environment. In addition, the plastic material of the inner wiring has an excessive concentration of bis(2-ethylhexyl) phthalate (DEHP) (measured value: 11.64% by weight). DEHP poses a risk to human health. This phthalate may harm the health by causing possible damage to the reproductive system.</p> <p>The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS Directive) nor with the REACH Regulation.</p>	從市場撤回 Withdrawal of the product from the market	
6	瑞典 (Sweden)	品牌(Brand) : Optiva 品名(Name) : 空氣清淨機 (Air purifier) 型號 (Model) : 4800-PRO-PCO	<p>產品中的焊料中鉛含量過高 (測量值：高達 41.4% 重量)。鉛對環境構成威脅。</p> <p>該產品不符合《限制在電氣和電子設備中使用某些有害物質的指令》 (RoHS 指令) 的要求。</p> <p>The solders in the product have an excessive concentration of lead (measured value: up to 41.4 % by weight). Lead poses a risk to the environment.</p> <p>The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS Directive).</p>	從市場撤回 Withdrawal of the product from the market	

2025 年 2 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
7	瑞典 (Sweden)	<p>品牌(Brand) : FL 品名(Name) : 耳機 (Headphones) 型號 (Model) : 不詳 (unknown)</p>	<p>產品中的焊料中鎘和鉛的濃度過高 (測量值分別高達 0.17% 和 59.2% (重量百分比))。鎘會在生物體內累積並對環境構成風險。鉛對環境構成風險。 該產品不符合《限制在電氣和電子設備中使用某些有害物質的指令》(RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of cadmium and lead (measured values up to 0.17% and 59.2% by weight, respectively). Cadmium bio-accumulates and poses a risk to the environment. Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
7	瑞典 (Sweden)	<p>品牌(Brand) : Forever light 品名(Name) : 頭燈 (Head lamp) 型號 (Model) : RTV0800001</p>	<p>產品中的焊料鉛含量過高 (測量值 : 56% 重量)。鉛對環境構成風險。 該產品不符合歐盟委員會關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured value: 56% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Commission Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
7	德國 (Germany)	<p>品牌(Brand) : Atmosphaera Createur d' interieur 品名(Name) : 燈 (Lamp) 型號 (Model) : 174004B</p>	<p>當燈泡未安裝到位時，用戶可能會接觸帶電部件 (例如燈泡插座或有缺陷的燈泡) 並觸電。 該產品不符合低壓指令的要求，也不符合歐洲標準 EN 60598-1 和 EN 60598-2-10。 When the light bulb is not in place, the user could touch live parts (such as the bulb socket or the defective bulb) and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60598-1 and EN 60598-2-10.</p>	<p>禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures 從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	

2025 年 1 月 電子電氣產品召回案例 (北美地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
5	美國 (America)	品牌(Brand) : Teckwe 品名(Name) : 電子秤 (Digital Kitchen Scales) 型號 (Model) : 不詳 (unknown)	<p>召回的數字廚房秤違反了針對含有鈕扣電池或鈕扣電池的消費品的強制性聯邦法規，因為該秤配備了兒童可以輕鬆接觸到的鋰鈕扣電池，並且隨產品提供的備用鈕扣電池未按照裡斯定律的要求採用兒童安全包裝。這些違規行為會造成攝入危險。召回的體重秤也沒有必要的警告。當吞下鈕扣電池或鈕扣電池時，吞入的電池可能會導致嚴重傷害、內部化學灼傷甚至死亡。</p> <p>The recalled digital kitchen scales violate the mandatory federal regulations for consumer products containing button cell or coin batteries, because the scale has a lithium coin battery that can be easily accessed by children, and a spare coin battery provided with the product not in child resistant packaging, as required by Reese' s Law. These violations pose an ingestion hazard. The recalled scales also do not have the required warnings. When button cell or coin batteries are swallowed, the ingested batteries can cause serious injuries, internal chemical burns, and death.</p>	修理 Repair	
5	美國 (America)	品牌(Brand) : 不詳 (unknown) 品名(Name) : 多功能造型吹風 (Multi Styler Hair Dryers) 型號 (Model) : 不詳 (unknown)	<p>召回的數字廚房秤違反了針對含有鈕扣電池或鈕扣電池的消費品的強制性聯邦法規，因為該秤配備了兒童可以輕鬆接觸到的鋰鈕扣電池，並且隨產品提供的備用鈕扣電池未按照裡斯定律的要求採用兒童安全包裝。這些違規行為會造成攝入危險。召回的體重秤也沒有必要的警告。當吞下鈕扣電池或鈕扣電池時，吞入的電池可能會導致嚴重傷害、內部化學灼傷甚至死亡。</p> <p>The handheld hair dryers lack an immersion protection device, posing an electrocution or shock hazard to consumers, if the hair dryers fall into water when plugged in. The CPSC has determined that hair dryers not equipped with the integral immersion protection present a substantial product hazard.</p>	退款 Refund	

2025 年 1 月 電子電氣產品召回案例 (北美地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	美國 (America)	<p>品牌(Brand) : America' s Got Talent 品名(Name) : 麥克風 (microphones) 型號 (Model) : 不詳 (unknown)</p>	<p>召回麥克風中的鋰離子電池可能會過度充電並起火，造成火災隱患。 The lithium-ion batteries in the recalled microphones can overcharge and ignite, posing a fire hazard.</p>	<p>退款 Refund</p>	
7	美國 (America)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 夜燈 (Sleep Lamps) 型號 (Model) : BBL-MM-LAMP</p>	<p>召回的可攜式燈具中的鋰離子電池在充電時可能會過熱，對消費者造成火災和燒傷危險。 The lithium-ion battery in the recalled portable lamps can overheat while charging, posing fire and burn hazards to consumers.</p>	<p>退款 Refund 替換 Replace</p>	
8	美國 (America)	<p>品牌(Brand) : Holosun 品名(Name) : 點瞄準器 (Dot Sights) 型號 (Model) : HS503G-ACSS、HE512C-GD</p>	<p>召回的 Holosun Red and Gold 槍械瞄準器違反了含有鈕扣電池或硬幣電池的消費品的強制性聯邦法規，因為鋰鈕扣電池很容易被取用，存在吞食危險。這些產品包含的鋰鈕扣電池未採用 Reese 法律所要求的兒童安全包裝。此外，這些產品也沒有標明必要的警告。如果鈕扣電池或硬幣電池被吞食，吞食的電池可能會導致嚴重傷害、內部化學灼傷甚至死亡。 The recalled Holosun Red and Gold Firearm Dot Sights violate the mandatory federal regulations for consumer products containing button cell or coin batteries because the lithium coin battery can be easily accessed, posing an ingestion hazard. The products include a lithium coin battery which is not in child-resistant packaging, as required by Reese' s Law. In addition, the products do not bear the required warnings. When button cell or coin batteries are swallowed, the ingested batteries can cause serious injuries, internal chemical burns, and death.</p>	<p>替換 Replace</p>	