




2025年5月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
20	愛爾蘭 (Ireland)	<p>品牌(Brand) : Erth Beauty Electricals 品名(Name) : 蒸汽頭罩 (Steamer cap) 型號 (Model) : ZT-A</p>	<p>插頭中的保險絲有缺陷，因此，在發生過電流時，產品保險絲中缺少沙子會導致產品過熱，導致觸電、灼傷用戶並引發火災。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60335-1 和 EN 61000。 The fuse in the plug is defective, Therefore, in the event of an over-current, the lack of sand in the product's fuse can cause the product to overheat, causing electric shock, burns to the user and fire. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60335-1 and EN 61000.</p>	<p>終端使用者手中召回產品 Recall of the product from end users</p>	
20	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	<p>品牌(Brand) : Nutribullet 品名(Name) : 可攜式攪拌機 (Portable blender) 型號 (Model) : NBG-100</p>	<p>產品電池在充電過程中可能會過熱，存在火災風險。 該產品不符合低電壓指令的要求。 The batteries of the product may overheat during charging, presenting a risk of fire. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>終端使用者手中召回產品 Recall of the product from end users</p>	
20	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 無線揚聲器 (Wireless speaker) 型號 (Model) : SP -0310</p>	<p>該產品的內部連接品質很差，電線直接焊接到元件尾部。在高振動環境中，電線可能會脫落和短路，從而存在火災風險。 該產品不符合低電壓指令的要求。 The product has poor quality internal connections and wires soldered directly to component tails. In a high vibration environment, the wires could potentially detach and short-circuit, presenting a risk of fire. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>邊境拒絕進口 Import rejected at border</p>	

2025年5月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
21	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：電源 (Power Supply) 型號 (Model)：ZR-200Q	<p>產品附帶的塞子太小並且不含顆粒狀填料。這可能導致插頭過熱和/或爆炸。</p> <p>該產品不符合低電壓指令的要求</p> <p>The plug accompanying the product is too small and does not contain a granular filler. This could lead to the plug overheating and/or exploding.</p> <p>the product does not comply with the requirements of the Low Voltage Directive</p>	邊境拒絕進口 Import rejected at border	
21	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：Beizkna 品名(Name)：烙鐵套件 (Soldering iron kit) 型號 (Model)：SI-926	<p>電源線未牢固地固定在電路板上，也未充分固定以防止拉出。隨著時間的推移，缺乏足夠的錨固會導致電線移動，從而導致導體拉緊。這可能會導致設備故障並著火。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The supply cord is not securely anchored to the circuit board and sufficiently secured against pulling out. Over time, lack of sufficient anchorage will cause the cord to move, leading to strain on the conductors. This can cause the appliance to fail and catch fire.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	
21	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：電源適配器 (Power adaptor) 型號 (Model)：BS-KJ826W	<p>插頭插腳尺寸不正確且不適合塑膠套管。這可能會導致銷隨著時間的推移不均勻磨損或在使用過程中損壞。損壞或磨損的銷釘可能會過熱並著火。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The plug pins are incorrectly sized and do not fit in the plastic sleeving. This can cause the pins to wear down unevenly over time or become damaged during use. Damaged or worn pins can overheat and catch fire.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	

2025 年 5 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
22	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	<p>品牌(Brand) : Jia Le Xin 品名(Name) : 電源延長線 (Extension lead) 型號 (Model) : 不詳 (unknown)</p>	<p>底部兩個插腳距插頭周邊小於 9.5 毫米。如果使用者在插針未完全插入插座的情況下插入設備，然後嘗試將手指靠近插針底部來拔出插頭，則可能會受到電擊。 該產品不符合低電壓指令的要求。 The bottom two pins are less than 9.5 mm from the periphery of the plug. If the user plugs in the device without the pins fully entering the socket, and they then try to remove the plug by placing their fingers close to the base of the pins, they may receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>終端使用者手中召回產品 Recall of the product from end users</p>	
18	立陶宛 (Lithuania)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : USB 充電器 (USB charger) 型號 (Model) : FK11-1</p>	<p>該設備不耐高溫，外殼可能變形，導致帶電部件觸及。用戶可能接觸帶電部件並遭受電擊。 該產品不符合低電壓指令和歐洲標準 EN 62368 的要求。 The device is not resistant to high temperatures and its casing may deform, leaving live parts accessible. The user can access live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368.</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
17	匈牙利 (Hungary)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 燈鏈 (Lighting chain) 型號 (Model) : STARLED01</p>	<p>電纜固定不當 (缺少電纜應力消除裝置)。可觸及電線的絕緣不足。延長線插座的結構允許單極插入插頭。用戶可能接觸帶電部件並遭受電擊。 該產品不符合低電壓指令和歐洲標準 EN 60598。 The cable is not properly anchored (missing cable strain relief). The accessible wires have inadequate insulation. The structure of the cord extension socket allows single-pole insertion of plugs. The user could touch accessible live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60598.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures</p>	

2025年5月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
17	匈牙利 (Hungary)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：燈鏈 (Lighting chain) 型號 (Model)：STARLED02</p>	<p>電纜固定不當 (缺少電纜應力消除裝置)。可觸及電線的絕緣不足。延長線插座的結構允許單極插入插頭。用戶可能接觸可觸及帶電部件並遭受電擊。 該產品不符合低壓指令和歐洲標準 EN 60598。 The cable is not properly anchored (missing cable strain relief). The accessible wires have inadequate insulation. The structure of the cord extension socket allows single-pole insertion of plugs. The user could touch accessible live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60598.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures</p>	
17	匈牙利 (Hungary)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：燈鏈 (Lighting chain) 型號 (Model)：140 LED</p>	<p>電纜固定不當，產品絕緣不足。用戶可能接觸可觸及帶電部件並遭受電擊。 該產品不符合低壓指令的要求，也不符合歐洲標準 EN 60598 和 EN 61347。 The cable is not properly anchored and the product has inadequate insulation. The user could touch accessible live parts and received an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with European standards EN 60598 and EN 61347.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures</p>	
17	匈牙利 (Hungary)	<p>品牌(Brand)：POWER-SOCKET 品名(Name)：電源延長線 (Extension cord) 型號 (Model)：F06U</p>	<p>該產品絕緣不足。用戶可能接觸可觸及的帶電部件並遭受電擊。 該產品不符合低電壓指令的要求。 The product has inadequate insulation. The user could touch accessible live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures</p>	

2025年5月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
21	匈牙利 (Hungary)	品牌(Brand) : Starpie 品名(Name) : 燈鏈 (Lighting chain) 型號 (Model) : 20584 LF1008H	<p>電纜未正確固定。延長線插座的結構允許插頭單極插入。用戶可能會觸摸可觸及的帶電部件並受到電擊。</p> <p>該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598。</p> <p>The cable is not properly anchored. The structure of the cord extension socket allows single-pole insertion of plugs. The user could touch accessible live parts and received an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	<p>從市場撤回</p> <p>Withdrawal of the product from the market</p> <p>終端使用者手中召回產品</p> <p>Recall of the product from end users</p>	
21	匈牙利 (Hungary)	品牌(Brand) : SMD 品名(Name) : 燈鏈 (Lighting chain) 型號 (Model) : 2835	<p>電纜未正確固定 (缺少應力消除裝置)。此外，該產品的絕緣性不足。用戶可能會觸摸可觸及的帶電部件並受到電擊。</p> <p>該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598。</p> <p>The cable is not properly anchored (missing a strain relief devices). Moreover, the product has inadequate insulation. The user could touch accessible live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	<p>從市場撤回</p> <p>Withdrawal of the product from the market</p> <p>終端使用者手中召回產品</p> <p>Recall of the product from end users</p>	
21	匈牙利 (Hungary)	品牌(Brand) : Starpie 品名(Name) : 燈鏈 (Lighting chain) 型號 (Model) : 20577 LF1008H	<p>電纜未正確固定。可觸及的電線絕緣不足。延長線插座的結構允許插頭單極插入。用戶可能會觸摸可觸及的帶電部件並受到電擊。</p> <p>該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598。</p> <p>The cable is not properly anchored. The accessible wires have inadequate insulation. The structure of the cord extension socket allows single-pole insertion of plugs. The user could touch accessible live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	<p>從市場撤回</p> <p>Withdrawal of the product from the market</p> <p>警告消費者風險</p> <p>Warning consumers of the risks</p>	

2025年5月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
22	匈牙利 (Hungary)	<p>品牌(Brand) : Starpie 品名(Name) : 燈鏈 (Lighting chain) 型號 (Model) : 20576</p>	<p>電纜未正確固定。延長線插座的結構允許插頭單極插入。用戶可能會觸摸可觸及的帶電部件並受到電擊。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598。</p> <p>The cable is not properly anchored. The structure of the cord extension socket allows single-pole insertion of plugs. The user could touch accessible live parts and received an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	<p>終端使用者手中召回產品 Recall of the product from end users 從市場撤回 Withdrawal of the product from the market</p>	
22	匈牙利 (Hungary)	<p>品牌(Brand) : Starpie 品名(Name) : 燈鏈 (Lighting chain) 型號 (Model) : 20575</p>	<p>電纜未正確固定。延長線插座的結構允許插頭單極插入。用戶可能會觸摸可觸及的帶電部件並受到電擊。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598。</p> <p>The cable is not properly anchored. The structure of the cord extension socket allows single-pole insertion of plugs. The user could touch accessible live parts and received an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	<p>終端使用者手中召回產品 Recall of the product from end users 從市場撤回 Withdrawal of the product from the market</p>	
17	拉脫維亞 (Latvia)	<p>品牌(Brand) : CLATRONIC 品名(Name) : 暖風機 (Fan heater) 型號 (Model) : HL 3379</p>	<p>暖風機外殼易破損，導致帶電部件觸及。用戶可能觸碰這些部件並遭受電擊。 該產品不符合低壓指令的要求，也不符合歐洲標準 EN 60335-1 和 EN 60335-2-30。</p> <p>The housing of the fan heater can easily break leaving live parts accessible. A user could touch them and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60335-1 and EN 60335-2-30.</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	

2025年5月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
18	法國 (France)	品牌(Brand) : KIKKERLAND 品名(Name) : 加熱板 (Heating plate) 型號 (Model) : UL08	<p>該產品在使用過程中容易接觸到帶電部件。此外，由於沒有安全擋板，當插頭部分插入時，很容易接觸到帶電部件。用戶可能會接觸到這些帶電部件並觸電。此外，該適配器不接地，在使用需要接地的電器時存在觸電風險。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The live parts of the product become accessible during use. Moreover, there are no safety shutters, so when a plug is partially inserted, it can easily contact live parts. The user could touch these live parts and receive an electric shock. In addition, the adaptor does not maintain an earth connection, risking electric shock with appliances requiring earthing.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	終端使用者手中召回產品 Recall of the product from end users	
21	波蘭 (Poland)	品牌(Brand) : ISO TRADE 品名(Name) : 電扇 (Electric fan) 型號 (Model) : JS-590A	<p>內部電線的電氣絕緣不足且內部電線固定不當。內部電線可能會脫落，導致爬電距離和間隙距離不足，可能導致觸電。該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60335-1 和 EN 60335-2-80。</p> <p>The electrical insulation of the internal wires is inadequate and the internal wires are improperly secured. The internal wire can detach, resulting in inadequate creepage and clearance distances possibly causing an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60335-1 and EN 60335-2-80.</p>	從市場撤回 Withdrawal of the product from the market 警告消費者風險 Warning consumers of the risks	
21	波蘭 (Poland)	品牌(Brand) : Tel1 品名(Name) : USB 充電器 (USB charger) 型號 (Model) : TC810	<p>該產品鉛含量超標 (按重量計測量值高達 59.1%)。鉛對環境構成風險。</p> <p>該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。</p> <p>The product has an excessive concentration of lead (measured value up to 59.1% by weight). Lead poses a risk to the environment.</p> <p>The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	從市場撤回 Withdrawal of the product from the market 警告消費者風險 Warning consumers of the risks	

2025 年 5 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
22	波蘭 (Poland)	<p>品牌(Brand) : Kaltmann 品名(Name) : 充電式修枝剪套裝 (Cordless pruning shears set) 型號 (Model) : K-NTK36V</p>	<p>充電器外殼可能會變形並導致接觸帶電部件。用戶可能會受到電擊。此外，由於採用電晶體作為半導體元件，電子開關也存在不足，其不能為電源電路提供足夠的機械開路。如果發生短路，剪刀可能會突然意外啟動，增加受傷風險。該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60335-1 和 EN 50636-2-94。</p> <p>The charger housing can deform and leave access to live parts. The user may receive an electric shock. Moreover, the electronic switch is inadequate because of application of a transistor as a semiconductor element, which does not provide sufficient mechanical opening for the power supply circuit. In case of a short circuit, the shears can start suddenly and unexpectedly, increasing the risk of injuries. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60335-1 and EN 50636-2-94.</p>	<p>從市場撤回 Withdrawal of the product from the market 警告消費者風險 Warning consumers of the risks</p>	
19	芬蘭 (Finland)	<p>品牌(Brand) : Cavo 品名(Name) : 自行車燈 (Bicycle light) 型號 (Model) : 15-241 / DY-0421000</p>	<p>充電器電氣絕緣不夠，初級和次級電路之間的爬電距離不夠。用戶在充電期間可能接觸帶電部件並遭受電擊。該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 61347-1 和 61347-2。</p> <p>The electrical insulation of the charger is insufficient and the creepage distance between the primary and the secondary circuits is inadequate. The user can access live parts during charging and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 61347-1 and 61347-2.</p>	<p>終端使用者手中召回產品 Recall of the product from end users</p>	

2025 年 5 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
22	斯洛伐克 (Slovakia)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：燈鏈 (Lighting chain) 型號 (Model)：200ML</p>	<p>由於產品的機械強度不夠、導體標稱截面不夠、插頭和第一插座之間的電纜長度不夠，用戶可能接觸到帶電部件而觸電。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598-1 和 EN 60598-2-20。 Due to the insufficient mechanical strength of the product, the inadequate nominal cross-section of the conductors, and the insufficient length of the cable between the plug and the first socket, the user may have access to live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60598-1 and EN 60598-2-20.</p>	<p>終端使用者手中召回產品 Recall of the product from end users 從市場撤回 Withdrawal of the product from the market 警告消費者風險 Warning consumers of the risks</p>	
19	奧地利 (Austria)	<p>品牌(Brand)：Misty 品名(Name)：充電寶 (Powerbank) 型號 (Model)：Misty_3349</p>	<p>產品的電池可能會膨脹並可能爆炸，從而導致火災和燒傷用戶的危險。 該產品不符合電磁相容性 (EMC) 指令的要求。 The battery of the product can bloat and may explode, causing risk of fire and burns to the user. The product does not comply with the requirements of the Directive on electromagnetic compatibility (EMC).</p>	<p>終端使用者手中召回產品 Recall of the product from end users</p>	
17	瑞典 (Sweden)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：充電器 (Charger) 型號 (Model)：XHD-PD20W</p>	<p>該產品焊料中的鉛含量超標（經測量，含量高達 50%（重量百分比））。鉛對環境構成威脅。 該產品不符合《關於限制在電子電氣設備中使用某些有害物質的指令》（RoHS 2.0）的要求。 The solders in the product have an excessive concentration of lead (measured value up to 50% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>邊境拒絕進口 Import rejected at border</p>	

2025 年 5 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
17	瑞典 (Sweden)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：充電器 (Charger) 型號 (Model)：XHD-PD25W</p>	<p>該產品焊料中的鉛含量超標（經測量，含量高達 25%（重量百分比））。鉛對環境構成威脅。 該產品不符合《關於限制在電子電氣設備中使用某些有害物質的指令》（RoHS 2.0）的要求。 The solders in the product have an excessive concentration of lead (measured value up to 25% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>邊境拒絕進口 Import rejected at border</p>	
21	瑞典 (Sweden)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：UV LED 美甲燈 (UV LED nail lamp) 型號 (Model)：M2</p>	<p>產品中的焊料鉛濃度過高（按重量計測量值高達 62.7%）。鉛對環境構成風險。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令（RoHS 2 指令）的要求。 The solders in the product have an excessive concentration of lead (measured value up to 62.7 % by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	

2025 年 5 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
21	瑞典 (Sweden)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : UV LED 燈 (UV LED lamp) 型號 (Model) : 不詳 (unknown)</p>	<p>產品中的焊料鉛濃度過高 (按重量計測量值高達 53.7%) 。電纜的塑膠材料中鉛、鄰苯二甲酸二(2-乙基己基)酯 (DEHP)、鄰苯二甲酸二丁酯(DBP)和短鏈氯化石蠟(SCCP)濃度過高(測量值: 按重量計分別高達 0.49%、1.46%、4.0%和 4.22%)。鉛對環境構成風險。DEHP 和 DBP 對人類健康和環境構成風險。短鏈氯化石蠟在環境中持續存在, 低濃度時對水生生物有毒, 並在野生動物和人類體內生物累積, 對人類健康和環境構成風險。長時間通過皮膚接觸它們可能會導致癌症。</p> <p>該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求, 也不符合持久性有機污染物 (POP) 法規的要求。</p> <p>The solders in the product have an excessive concentration of lead (measured value up to 53.7% by weight). The plastic material of the cable has an excessive concentration of lead, bis(2-ethylhexyl) phthalate (DEHP), dibutyl phthalate (DBP) and short chain chlorinated paraffins (SCCPs) (measured values: up to 0.49%, 1.46%, 4.0% and 4.22% by weight, respectively). Lead poses a risk to the environment. DEHP and DBP pose a risk to human health and the environment. SCCPs persist in the environment, are toxic to aquatic organisms at low concentrations and bio-accumulate in wildlife and humans, posing a risk to human health and the environment. Prolonged exposure to them through the skin may cause cancer.</p> <p>The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive) nor with the Persistent Organic Pollutants (POP) Regulation.</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	

2025 年 5 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
18	德國 (Germany)	<p>品牌(Brand) : HITRENDS, PABANCE 品名(Name) : 電源延長線 (Extension cord) 型號 (Model) : F35U</p>	<p>電源線和插座缺少保護導體 (接地)。發生短路時，超載電流無法通過接地安全泄放，從而增加了觸電風險。 該產品不符合低電壓指令的要求。 The mains cable and sockets lack a protective conductor (earthing). In case of a short circuit, excess current can't be safely discharged through earthing, increasing the risk of an electric shock. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace 從市場撤回 Withdrawal of the product from the market 警告消費者風險 Warning consumers of the risks 終端使用者手中召回產品 Recall of the product from end users 產品銷毀 Destruction of the product 禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures</p>	
18	德國 (Germany)	<p>品牌(Brand) : Easyhomie 品名(Name) : 保險絲組合套件 (Fuse assortment kit) 型號 (Model) : 不詳 (unknown)</p>	<p>微型保險絲 (細保險絲) 的熔斷電流遠高於其標稱額定值。這可能會導致裝有此類保險絲的電氣產品起火。 該產品不符合低壓指令和歐洲標準 EN 60269-1 的要求。 The miniature fuses (fine fuses) blow well above their indicated rating. This may cause a fire in electrical products fitted with these fuses. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60269-1.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	

2025 年 5 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
18	德國 (Germany)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：加熱板 (Heating plate) 型號 (Model)：[D]PFB12782179</p>	<p>產品內部的電子元件絕緣不足。產品上放置了敞開的水容器（例如家禽飲水碗），因此水可能會濺到產品上並滲入產品內部。此外，產品外殼由金屬製成，沒有接地導體，因此可能發生短路，導致外殼帶電。用戶可能會接觸到帶電部件並遭受電擊。</p> <p>該產品不符合低壓指令和歐洲標準 EN 60335-1 的要求。</p> <p>The electronics inside the product are not sufficiently insulated. Open water containers (poultry drinking bowls) are placed on the product. Water could therefore be spilled on and penetrate the product. Additionally, the housing is made of metal, and there is no earth conductor. Therefore, a short circuit could occur, making the housing live. The user can touch the live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60335-1.</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
19	德國 (Germany)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：並網微型逆變器 (Grid-tied micro-inverter) 型號 (Model)：500W SY2405V04067 / 25N50*D-220</p>	<p>產品絕緣不充分。保護導體終止於電路板且不連接至金屬外殼。如果電器內部帶電部件的單一絕緣有缺陷，則整個金屬外殼可以承載電源電壓。因此，用戶可能會觸摸帶電部件並受到電擊。</p> <p>該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 62109-1 和 62109-2。</p> <p>The product is insufficiently insulated. The protective conductor ends on the circuit board and is not connected to the metal housing. If the single insulation of the live parts inside the appliance is defective, the entire metal housing can carry mains voltage. The user could consequently touch live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62109-1 and 62109-2.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	

2025 年 5 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
20	德國 (Germany)	<p>品牌(Brand) : Osrchids 品名(Name) : 燈泡適配器 (Light bulb adaptor) 型號 (Model) : 不詳 (unknown)</p>	<p>從火線或零線端子到 B22 卡口插座的保護接地連接有一條路徑。如果產品連接到家庭電網，則整個燈具可能帶電。如果使用者觸摸該產品，可能會觸電。 該產品不符合低電壓指令的要求。 There is a path from the live or neutral terminals to the protective earth connection of the B22 bayonet socket. If the product is connected to a domestic electrical network, the whole luminaire may be live. If the user touches the product, they may receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	
21	德國 (Germany)	<p>品牌(Brand) : Meilepai / facaio 品名(Name) : 電源延長線 (Extension lead) 型號 (Model) : F25U (CP01)</p>	<p>該產品的電源線無保護導體，插座內的接地觸點不能連接。因此，產品的使用者可能會受到電擊。此外，該產品未附有所需的說明和標籤。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60884-1: 和 EN 60884-2。 The product has no protective conductor in the power supply cable and the earthing contacts in the sockets can't be connected. The user of the product can therefore receive an electric shock. Additionally, the product is not accompanied by the required instructions and labelling. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60884-1:and EN 60884-2.</p>	<p>從市場撤回 Withdrawal of the product from the market 產品銷毀 Destruction of the product 終端使用者手中召回產品 Recall of the product from end users</p>	





2025 年 5 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
21	德國 (Germany)	<p>品牌(Brand) : COKOLILA 品名(Name) : 燈具 (Lighting equipment) 型號 (Model) : T8</p>	<p>該燈配有連接插座，因此可以連續使用多個燈。這些僅由貼紙覆蓋。此外，插座配有插針，而連接它們的電纜則配有母連接器。如果未使用連接多個燈的選項，則引腳上存在電源電壓 (230 V)。因此，沒有保護措施來防止引腳被觸摸，如果用戶觸摸引腳，可能會導致觸電。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598-1。</p> <p>The light is fitted with connection sockets so that several lights can be used in a row. These are covered only by a sticker. In addition, the sockets are fitted with pins, while the cable for connecting them is fitted with female connectors. If the option to connect multiple lights is not used, mains voltage (230 V) is present at the pins. There is thus no protection to prevent the pins from being touched, which could lead to an electric shock if the user touches the pins.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598-1.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	
22	德國 (Germany)	<p>品牌(Brand) : Jenngaoo 品名(Name) : 斷路器 (Circuit breaker) 型號 (Model) : DZ47-63Z (16A)</p>	<p>隨著電流增加，跳閘不會在 2 秒內啟動。因此，電路不會中斷，電弧也不會熄滅，從而導致斷路器陰燃或燃燒。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60898。</p> <p>With an increased current flow, the trip does not activate within 2 seconds. Therefore, the circuit is not interrupted and the arc does not extinguish, leading the breaker to smoulder or burn.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60898.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	

2025 年 5 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
22	德國 (Germany)	品牌(Brand) : Wisdom 品名(Name) : 燈鏈 (Lighting chain) 型號 (Model) : XC-4050	<p>該產品絕緣性能不足。連接插頭的尺寸不符合規格。用戶可能會觸摸可觸及的帶電部件，從而可能導致觸電。</p> <p>該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598</p> <p>The product has inadequate insulation. The dimensions of the connection plug do not comply with the specifications. The user could touch accessible live parts, which may cause an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598</p>	<p>從市場撤回 Withdrawal of the product from the market 禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures 終端使用者手中召回產品 Recall of the product from end users 產品銷毀 Destruction of the product</p>	

2025年5月電子電氣產品召回案例 (北美地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
17	美國 (America)	品牌(Brand) : RGB 品名(Name) : LED 燈 (LED Strip Lights) 型號 (Model) : 不詳 (unknown)	<p>召回的燈違反了針對使用鈕扣電池或硬幣電池的消費品的強制性聯邦法規，因為這些燈帶容易讓兒童接觸到鋰鈕扣電池，存在吞食危險。此外，召回的產品未按要求貼上警示語。如果兒童吞食鈕扣電池或硬幣電池，可能會導致嚴重傷害、內部化學灼傷甚至死亡。</p> <p>The recalled lights violate the mandatory federal regulations for consumer products designed to use button cell or coin batteries because the strip lights allow easy access by children to the lithium coin batteries, posing an ingestion hazard. In addition, the recalled products do not have the required warnings. When button cell or coin batteries are swallowed, the ingested batteries can cause serious injuries, internal chemical burns and death.</p>	退款 Refund	
18	美國 (America)	品牌(Brand) : Baseus 品名(Name) : 可攜式充電器 (portable chargers) 型號 (Model) : BS-30KP365	<p>此次召回的可攜式充電器中的鋰離子電池可能會過熱，存在引發火災的隱患。</p> <p>The lithium-ion battery in the recalled portable chargers can overheat, posing a fire hazard.</p>	替換 Replace	
18	美國 (America)	品牌(Brand) : Ninja 品名(Name) : 壓力鍋 (Pressure Cookers) 型號 (Model) : OP300, OP301, OP301A, OP302, OP302BRN, OP302HCN, OP302HAQ, OP302HW, OP302HB, OP305, OP305CO and OP350CO	<p>在使用過程中，高壓鍋的鍋蓋可能會被打開，導致鍋內熱氣逸出，從而給消費者造成燙傷的風險。</p> <p>The pressure-cooking lid can be opened during use, causing hot contents to escape, posing a risk of burn injuries to consumers.</p>	修理 Repair	
19	美國 (America)	品牌(Brand) : YAMAHA 品名(Name) : 交流電源適配器 (AC Power Adaptors) 型號 (Model) : PA-300C	<p>交流電源適配器可能會過熱並起火，造成燒傷和火災危險。</p> <p>The AC power adaptors can overheat and ignite, posing burn and fire hazards.</p>	替換 修理 Replace Repair	

2025 年 5 月 電子電氣產品召回案例 (北美地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
19	美國 (America)	<p>品牌(Brand) : Bliss 品名(Name) : 吹風機 (Hair Dryers) 型號 (Model) : 不詳 (unknown)</p>	<p>掌上型吹風機缺乏浸水保護裝置，如果吹風機在插入電源時落入水中，可能會因觸電或電擊而導致死亡或嚴重傷害。該吹風機違反了聯邦吹風機法規，並存在重大產品危險。 The handheld hair dryers lack an immersion protection device and can cause death or serious injury due to electrocution or shock if the hair dryers fall into water when plugged in. The hair dryers are in violation of federal regulations for hair dryers and present a substantial product hazard.</p>	<p>退款 Refund</p>	
20	美國 (America)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : LED 燈 (LED Lights) 型號 (Model) : N21743</p>	<p>潛水式 RGB LED 燈的遙控器配有鋰鈕扣電池，兒童很容易接觸到，存在誤食危險。這違反了針對含有鈕扣電池或鈕扣電池的消費品的強制性聯邦法規。此外，召回的產品沒有規定的警告語。當吞下鈕扣電池或鈕扣電池時，攝入的電池可能會導致嚴重傷害、內部化學燒傷和死亡。 The Submersible RGB LED Light's remote control has a lithium coin battery that can be easily accessed by children, posing an ingestion hazard. This violates the mandatory federal regulations for consumer products containing button cell or coin batteries. In addition, the recalled products do not have the required warnings. When button cell or coin batteries are swallowed, the ingested batteries can cause serious injuries, internal chemical burns and death.</p>	<p>替換 Replace</p>	
20	美國 (America)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 掛鐘 (Wall Clocks) 型號 (Model) : PH-05</p>	<p>此次召回的數位掛鐘違反了針對含鈕扣電池或硬幣電池的消費產品的強制性聯邦規定。該掛鐘的遙控器內裝有一枚鋰質硬幣電池，兒童容易觸及到它，存在誤食的危險。此外，被召回的產品並未符合雷斯法則所要求的警示標識。當鈕扣電池或硬幣電池被吞食後，被吞下的電池可能會造成嚴重傷害、內部化學灼傷甚至死亡。 The recalled digital wall clocks violate the mandatory federal regulations for consumer products containing button cell or coin batteries. The remote control for the clock has a lithium coin battery that can be easily accessed by children, posing an ingestion hazard. In addition, the recalled products do not have the warnings required under Reese's Law. When button cell or coin batteries are swallowed, the ingested batteries can cause serious injuries, internal chemical burns and death.</p>	<p>退款 Refund</p>	

2025 年 5 月 電子電氣產品召回案例 (北美地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
22	美國 (America)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：燈具 (light fixtures) 型號 (Model)：3679, 4677, 4679</p>	<p>將召回的燈連接到天花板安裝的元件可能會變弱，導致燈具意外掉落，從而存在因撞擊而受傷的風險。 The component that connects the recalled light to the ceiling mount can weaken, allowing the fixture to fall unexpectedly, posing a risk of injury from impact.</p>	<p>替換 Replace</p>	
22	美國 (America)	<p>品牌(Brand)：iWALK 品名(Name)：無線充電寶 (Wireless Power Banks) 型號 (Model)：DBL6000M and DBL6000P</p>	<p>召回的移動電源中的鋰離子電池可能會過熱並起火，給消費者帶來因火災和燒傷而造成嚴重傷害或死亡的風險。 The lithium-ion batteries in the recalled power banks can overheat and ignite, posing a risk of serious injury or death from fire and burn hazards to consumers.</p>	<p>退款 Refund</p>	

2025 年 5 月 電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
18	澳大利亞 (Australia)	<p>品牌(Brand)：不詳 (unknown)</p> <p>品名(Name)：可充電頭燈 (Rechargeable head torch)</p> <p>型號 (Model) ： KAHEADTORCH</p>	<p>頭燈在使用過程中可能會過熱，導致外殼過熱。</p> <p>如果頭燈在使用過程中過熱，則存在嚴重燒傷的風險。</p> <p>The head torch can overheat during use and cause the outer casing to become excessively hot.</p> <p>Risk of serious injury from burns if the head torch overheats during use.</p>	<p>立即停止使用受影響的產品。</p> <p>訪問頭燈召回頁面並填寫召回表格，即可獲得替換頭燈、退款或積分。</p> <p>或者，您可以將受影響的產品退回到您最近的 KickAss 商店，並獲得填寫召回表格的說明。</p> <p>Stop using affected product immediately.</p> <p>Visit the Head Torch Recall page and complete the recall form to receive either a replacement head torch, a refund or credit.</p> <p>Alternatively, return the affected product to your nearest KickAss store and receive assistance in completing the recall form.</p>	
21	澳大利亞 (Australia)	<p>品牌(Brand)：不詳 (unknown)</p> <p>品名(Name)：無線充電寶 (Wireless power bank)</p> <p>型號 (Model) ：不詳 (unknown)</p>	<p>使用時移動電源可能會過熱並著火。</p> <p>嚴重燒傷或死亡以及財產損失的風險。</p> <p>事件時有發生。</p> <p>The power bank can overheat and catch fire when used.</p> <p>Risk of serious burn injuries or death and property damage.</p> <p>Incidents have occurred.</p>	<p>立即停止使用該產品。</p> <p>通過 SnapWireless 網站上的連結註冊您的詳細資訊，以安排全額退款或免費更換。</p> <p>將產品扔到電子廢物處理設施，或聯繫 SnapWireless 安排免費退貨運輸標籤以將其送去處置。</p> <p>Immediately stop using the product.</p> <p>Register your details at the link on the SnapWireless website to arrange for a full refund or free replacement.</p> <p>Dispose of the product at an e-waste facility, or contact SnapWireless to arrange a free return shipping label to send it for disposal.</p>	

2025 年 5 月 電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
21	澳大利亞 (Australia)	<p>品牌(Brand) : Baseus 品名(Name) : 無線充電寶 (Wireless power bank) 型號 (Model) : BS-30KP365</p>	<p>充電寶在充電或使用時可能會過熱，造成火災。 如果移動電源中的鋰離子電池過熱並著火，可能會造成嚴重燒傷和財產損失。 倍思已收到 76 起涉及可攜式充電器的事務報告，其中 72 起膨脹報告和 4 起火災報告，其中包括 3 起財產損失報告。 The power bank may overheat when charging or being used, posing a fire hazard. Risk of serious burn injuries and property damage if the lithium-ion battery in the power bank overheats and catches fire. Baseus has received 76 reports of incidents involving the portable chargers, including 72 reports of bulging and four reports of fire, including three reports of property damage.</p>	<p>立即停止使用受影響的移動電源。 請按照當地處理鋰電池的要求處理移動電源。 聯繫倍思安排全額退款。您需要提供聯繫資訊以及受影響移動電源的照片，其中顯示印在設備底部的型號和序號。 如果您無法退回產品或已將產品出售或贈送給他人，請聯繫倍思。 Stop using affected power banks immediately. Dispose of the power bank in accordance with local requirements for disposing of lithium batteries. Contact Baseus to arrange a full refund. You will need to provide your contact information and a photo of the affected power bank showing the model and serial number that are printed on the bottom of the device. Contact Baseus if you are unable to return the product or have sold or gifted it to another person.</p>	
21	澳大利亞 (Australia)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 交流適配器 (AC power adaptor) 型號 (Model) : PA-300C</p>	<p>使用時適配器可能會過熱並著火。 如果適配器著火，則存在嚴重燒傷或死亡的風險。 事件時有發生。 The adaptor may overheat and catch fire when used. There is a risk of serious burn injuries or death if the adaptor catches fire. Incidents have occurred.</p>	<p>立即停止使用適配器並將其從電源插座和產品上拔下。 通過 Yamaha 線上門戶註冊受影響的適配器。 雅馬哈將免費更換適配器。 Stop using the adaptor immediately and disconnect it from both the power outlet and the product. Register the affected adaptor via the Yamaha online portal. Yamaha will provide a free replacement for the adaptor.</p>	