

# 2025年10月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
40	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：適配器 (Power adaptor) 型號 (Model)：SM65CL-01	<p>電源線電阻過大，且保險絲填充物不足。如果產品出現故障或電流超載，產品可能過熱並引發火災。            本產品不符合低電壓指令的要求。</p> <p>The mains supply cord has excessive resistance and not enough filler in the fuse. If there is a fault with the product or a surge in current, the product could overheat and catch fire.</p> <p>This product does not meet the requirements of the Low Voltage Directive.</p>	線上市場刪除了該產品清單 Removal of this product listing by the online marketplace 邊境拒絕進口 Import rejected at border 產品銷毀 Destruction of the product	
40	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：絞肉機 (Meat grinder) 型號 (Model)：不詳 (unknown)	<p>該產品蓋子沒有安全閉合裝置。如果用戶在刀片仍在運轉時向上掀開蓋子，手指或手部可能會被壓傷或割傷。            本產品不符合低電壓指令的要求。</p> <p>The product does not have a secure closure mechanism on the lid. If the user lifts the lid upwards with the blades still in motion, their fingers or hand can be crushed or severed.</p> <p>This product does not meet the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	
41	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：熨斗 (iron) 型號 (Model)：HT-258B	<p>該保險絲不符合尺寸規格要求。在故障情況下，這可能導致保險絲無法正常工作，從而造成火災和/或爆炸的風險。此外，接地不良可能導致帶電部件暴露在外。這可能導致用戶接觸帶電部件並觸電。            該產品不符合低電壓指令的要求。</p> <p>The fuse does not meet the required dimensional specifications. Under fault conditions, this may result in the fuse failing to operate correctly, creating a risk of fire and/or explosion. In addition, inadequate earthing may allow conductive live parts to become accessible. This could lead to the user touching live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
41	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：YDBAO 品名(Name)：電池充電器 (Battery charger) 型號 (Model)：SWT-1880	<p>保險絲在故障情況下可能無法熔斷，導致插頭過熱和/或爆炸，從而引發火災。電源插頭尺寸不符合規定，且缺少合格的熔斷絲。此外，產品上缺少必要的標記資訊、使用說明和安全資訊。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The fuse may fail to operate under fault conditions, leading to the plug overheating and/or exploding, which can cause a fire. The mains plug does not meet the necessary size specifications and is missing a conforming fuse link. Additionally, essential marking information, instructions and safety information are missing on the product.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	
41	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：電熱板 (Electrical hot plate) 型號 (Model)：D09	<p>該產品的保險絲不符合尺寸要求。因此，在故障情況下，保險絲可能無法防止火災和/或爆炸。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The fuse of the product does not meet the dimensional requirements. Consequently, under fault conditions, the fuse may fail to prevent fire and/or explosion.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	
41	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：MXBAOHENG 品名(Name)：電磁攪拌器 (Magnetic tumbler) 型號 (Model)：KT-185	<p>插頭內的保險絲不含任何顆粒狀填充物。填充物對於確保保險絲在故障情況下安全工作至關重要，缺少填充物可能導致插頭過熱、起火和/或爆炸。此外，保險絲的銅線繞過邊緣並僅由端蓋固定。用戶可能接觸到銅線並觸電。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The fuse within the plug does not contain any granular filler. The filler is required to ensure the safe operation of the fuse under fault conditions, and its absence could lead to the plug overheating, catching fire and/or exploding. Moreover, the fuse had the copper wire looped over the edge and secured only by the end cap. The user could touch the wire and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
42	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：電源線充電器 (Power cord charger) 型號 (Model)：B6182	<p>該插頭保險絲不含鎮流器。缺少鎮流器可能導致插頭過熱和/或爆炸，從而造成火災和觸電風險。此外，部分必要的文檔和標識缺失。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The plug fuse does not contain a ballast. Its absence could lead to the plug overheating and/or exploding, which cause a risk of fire and electric shock. Moreover, some of the required documentation and marking are not present.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border 產品銷毀 Destruction of the product	
42	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：電水壺 (Electric kettle) 型號 (Model)：不詳 (unknown)	<p>插頭內的保險絲不含任何顆粒狀填充物，這可能導致插頭過熱、起火和/或爆炸。此外，插頭邊緣與插腳之間的距離不足，可能導致接觸帶電部件，從而造成觸電。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The fuse within the plug does not contain any granular filler which could lead to the plug overheating, catching fire and/or exploding. Moreover, insufficient distance between the edge of the plug and the plug pins can enable access to live parts, causing an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	
42	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：燈鏈 (Lighting chain) 型號 (Model)：不詳 (unknown)	<p>該產品使用的適配器不合格，插頭過小，火線和零線插腳過粗，絕緣不足。插頭可能過熱並引發火災。此外，電路間的爬電距離和安全距離不足，用戶可能接觸帶電部件而觸電。</p> <p>該產品不符合低電壓指令和歐洲標準 EN 60598 的要求。</p> <p>The product is powered by an insufficient adapter as the plug is too small, the live and neutral pins are too thick and the insulation is not sufficient. The plug could overheat and cause a fire. Moreover, the creepage and clearance distance between the circuits is insufficient, the user could touch live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	線上市場刪除了該產品清單 Removal of this product listing by the online marketplace 產品銷毀 Destruction of the product 邊境拒絕進口 Import rejected at border	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
43	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：破碎機 (Crushing machine) 型號 (Model)：SUS204	<p>接地保護不足。用戶可能接觸到裸露的帶電部件而觸電。該產品不符合機械指令的要求。</p> <p>The earthing protection is inadequate. The user could touch the accessible live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Machinery Directive.</p>	產品銷毀 Destruction of the product 邊境拒絕進口 Import rejected at border	
43	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：舞臺燈 (Stage lights) 型號 (Model)：ZQ01641	<p>電源線電阻過大，插頭填充物不足。填充物對於確保故障情況下保險絲的安全工作至關重要，缺失填充物可能導致插頭過熱和/或爆炸。此外，部分必要的文檔和標識缺失。該產品不符合低電壓指令的要求。</p> <p>The mains supply cord has excessive resistance, and the plug has insufficient filler. The filler is required to ensure the safe operation of the fuse under fault conditions, and its absence could lead to the plug overheating and/or exploding. Moreover, some of the required documentation and marking are not present.</p> <p>The product does not comply with the requirements of the Low Voltage Directive</p>	邊境拒絕進口 Import rejected at border	
43	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：研磨機 (Grinding machine) 型號 (Model)：不詳 (unknown)	<p>插頭內的保險絲不含任何顆粒狀填充物。填充物對於確保保險絲在故障情況下安全工作至關重要，缺少填充物可能導致插頭過熱、起火和/或爆炸。該產品不符合低電壓指令的要求。</p> <p>The fuse within the plug does not contain any granular filler. The filler is required to ensure the safe operation of the fuse under fault conditions, and its absence could lead to the plug overheating, catching fire and/or exploding.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	

# 2025年10月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
43	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：UBILL (on plug) 品名(Name)：電烙鐵 (Soldering iron) 型號 (Model)：UBL8008	<p>插頭內的保險絲填充物不足。填充物對於確保保險絲在故障情況下安全工作至關重要，填充物不足可能導致插頭過熱和/或爆炸。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The fuse within the plug has insufficient granular filler. The filler is required to ensure the safe operation of the fuse under fault conditions, and its absence could lead to the plug overheating and/or exploding.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	
43	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：真空封口機 (Vacuum sealing machine) 型號 (Model)：HF-9011 mS589	<p>該產品的插頭未配備符合標準的保險絲。如果產品使用過程中電氣系統發生故障，保險絲可能無法防止火災和爆炸。</p> <p>本產品不符合低電壓指令的要求。</p> <p>The product's plug is not fitted with a conforming fuse. If there is a failure within the electrical system whilst the product is in use, the fuse may fail to prevent fire and explosion.</p> <p>This product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	
43	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand)：不詳 (unknown) 品名(Name)：攪拌機 (Blender) 型號 (Model)：不詳 (unknown)	<p>插頭內的保險絲填充物不足。填充物對於確保保險絲在故障情況下安全工作至關重要。填充物不足可能導致插頭過熱和/或爆炸。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The fuse within the plug has insufficient granular filler. The filler is required to ensure the safe operation of the fuse under fault conditions. Its absence may lead to the plug overheating and/or exploding.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	


# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
44	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand) : Jian Wang 品名(Name) : 加熱捲髮器 (Heated hair curling rollers) 型號 (Model) : JF-888-10	<p>電路之間的爬電距離和安全距離不足。這可能導致用戶因接觸帶電部件而觸電。此外，該產品還存在熔斷器接地錯誤的問題。如果在使用過程中發生故障，插頭可能會過熱並引發火災。</p> <p>本產品不符合低電壓指令的要求。</p> <p>There is insufficient creepage and clearance distance between circuits. This can lead to the user receiving an electric shock from accessible live parts. Moreover, the product also has a fuse link that is incorrectly earthed. If a fault occurs during use, the plug can overheat and catch fire.</p> <p>This product does not comply with the requirements of the Low Voltage Directive.</p>	產品銷毀 Destruction of the product 邊境拒絕進口 Import rejected at border	
44	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand) : 不詳 (unknown) 品名(Name) : USB 充電器 (USB charger) 型號 (Model) : YFY-A73C	<p>該產品的保險絲接地不良。如果在使用過程中發生故障，插頭可能會過熱並引發火災。</p> <p>本產品不符合低電壓指令的要求。</p> <p>The product has a fuse link that is incorrectly earthed. If a fault occurs during use, the plug can overheat and catch fire.</p> <p>This product does not comply with the requirements of the Low Voltage Directive.</p>	線上市場刪除了該產品清單 Removal of this product listing by the online marketplace 產品銷毀 Destruction of the product 邊境拒絕進口 Import rejected at border	
44	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	品牌(Brand) : MXBAOHENG 品名(Name) : 電水壺 (Electric kettle) 型號 (Model) : 不詳 (unknown)	<p>該產品的插頭缺少保險絲保護，因此在故障情況下產品可能起火。此外，使用者在將插頭插入或拔出插座時也可能觸電。</p> <p>該產品不符合低電壓指令的要求。</p> <p>The plug for the product lacks a fuse for protection, and therefore under fault conditions the product could catch fire. Moreover, the user could also receive an electric shock when inserting or removing the plug from the socket.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	邊境拒絕進口 Import rejected at border	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
44	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	<p>品牌(Brand)：不詳 (unknown)            品名(Name)：炸鍋 (Fryer)            型號 (Model)：不詳 (unknown)</p>	<p>該插頭沒有保險絲裝置。一旦發生故障，產品可能著火。此外，該產品缺少一些必要的文檔和標識。            該產品不符合低電壓指令的要求。            The plug does not have the facility for a fuse. In the event of a fault, the product could catch fire. Moreover, the product is missing some of the required documentation and markings.            The product does not meet the requirements of the Low Voltage Directive.</p>	<p>產品銷毀            Destruction of the product            邊境拒絕進口            Import rejected at border</p>	
44	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	<p>品牌(Brand)：不詳 (unknown)            品名(Name)：USB 充電器 (USB charger)            型號 (Model)：WLX-A5+</p>	<p>該產品的插頭接地不良。如果使用過程中發生故障，插頭可能過熱並引發火災。此外，缺少安全資訊。            該產品不符合低電壓指令的要求。            The plug of the product is incorrectly earthed. If a fault occurs during use, the plug can overheat and catch fire. Additionally, safety information is missing            The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>線上市場刪除了該產品清單            Removal of this product listing by the online marketplace            產品銷毀            Destruction of the product            邊境拒絕進口            Import rejected at border</p>	
41	法國 (France)	<p>品牌(Brand)：Whitecrane            品名(Name)：鈕扣電池 (Button batteries)            型號 (Model)：CR2032</p>	<p>包裝並非兒童安全包裝，因此鈕扣電池很容易被兒童拿到。兒童可能會將電池放入口中，導致窒息。如果誤食鈕扣電池，也可能對兒童的消化系統造成損害。            本產品不符合通用產品安全法規 (GDPR) 和歐洲標準 EN 60086-4。            The packaging is not childproof and therefore the button batteries are easily accessible to children. A child may put them in the mouth, and choke. The button batteries could also cause damage to the child's gastrointestinal tract if they are ingested.            This product does not comply with the General Product Safety Regulation nor with the European standard EN 60086-4.</p>	<p>線上市場刪除了該產品清單            Removal of this product listing by the online marketplace            終端使用者手中召回產品            Recall of the product from end users</p>	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
44	法國 (France)	品牌(Brand) : Eunicell 品名(Name) : 鋰電池 (Lithium Battery) 型號 (Model) : CR620 3V	<p>包裝並非兒童安全包裝，因此鈕扣電池很容易被兒童拿到。兒童可能會將電池放入口中，導致窒息。如果誤食鈕扣電池，也可能對兒童的消化系統造成損害。</p> <p>本產品不符合通用產品安全法規 (GDPR) 和歐洲標準 EN 60086-4。</p> <p>The packaging is not childproof and therefore the button batteries are easily accessible to children. A child may put them in the mouth, and choke. The button batteries could also cause damage to the child's gastrointestinal tract if they are ingested.</p> <p>This product does not comply with the General Product Safety Regulation nor with the European standard EN 60086-4.</p>	<p>線上市場刪除了該產品清單</p> <p>Removal of this product listing by the online marketplace</p> <p>產品銷毀</p> <p>Destruction of the product</p> <p>邊境拒絕進口</p> <p>Import rejected at border</p>	
44	法國 (France)	品牌(Brand) : LITHIUM 品名(Name) : 鈕扣電池 (Button batteries) 型號 (Model) : 不詳 (unknown)	<p>包裝並非兒童安全包裝，因此鈕扣電池很容易被兒童拿到。兒童可能會將電池放入口中，導致窒息。如果吞食鈕扣電池，也可能對兒童的消化系統造成損害。此外，包裝上缺少“請將本品放在兒童不能接觸的地方”的警告標識或相應的圖示。</p> <p>本產品不符合通用產品安全法規 (GDPR) 和歐洲標準 EN 60086-4。</p> <p>The packaging is not childproof and therefore the button batteries are easily accessible to children. A child may put them in the mouth, and choke. The button batteries could also cause damage to the child's gastrointestinal tract if they are ingested. Furthermore, the warning 'Keep out of reach of children' or the corresponding pictogram is missing from the packaging.</p> <p>This product does not comply with the General Product Safety Regulation nor with the European standard EN 60086-4.</p>	<p>線上市場刪除了該產品清單</p> <p>Removal of this product listing by the online marketplace</p>	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
40	波蘭(Poland)	<p>品牌(Brand) : Kraft&amp;Dele            品名(Name) : 逆變式焊機 (Inverter welder)            型號 (Model) : KD1873</p>	<p>電源線的橫截面積不足，且插頭的額定電流過低。電線可能過熱，導致絕緣層損壞，使帶電部件暴露在外。用戶接觸帶電部件可能觸電。            該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60974-1。            The cross-sectional area of the power supply cable is inadequate, and the nominal current of applied plug is too low. The wire may overheat and cause the insulation to become damaged making live parts accessible. The user could touch live parts and receive an electric shock.            The product does not comply with the requirements of the Low Voltage Directive, nor with the European standard EN 60974-1.</p>	<p>從市場撤回            Withdrawal of the product from the market            警告消費者風險            Warning consumers of the risks</p>	
43	波蘭 (Poland)	<p>品牌(Brand) : Heidmann            品名(Name) : 水泵 (water pump)            型號 (Model) : H00611            VMP60</p>	<p>由於接地不良、絕緣不足、電源線橫截面積過小以及爬電距離不足，該產品存在使用者觸電風險。            該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60335-1 和 EN 60335-2-41。            Due to inadequate grounding, insulation, cross section area of the power cord and inadequate creepage distances, the product poses a risk of electric shock to the user.            The product does not comply with the requirements of the Low Voltage Directive, nor with the European standards EN 60335-1 and EN 60335-2-41.</p>	<p>從市場撤回            Withdrawal of the product from the market            警告消費者風險            Warning consumers of the risks</p>	
44	波蘭 (Poland)	<p>品牌(Brand) : Kraft &amp; Dele            品名(Name) : 逆變焊機 (Inverter welder)            型號 (Model) : KD1827</p>	<p>電源和焊接電纜的橫截面積不足。此外，電源線過短，導線可能過熱，導致絕緣層損壞，使帶電部件暴露在外。用戶可能接觸到帶電部件並觸電。            該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60974-1。            The cross-sectional areas of the power supply and welding cables are inadequate. Moreover, the power supply cable is too short and the wires may overheat and cause the insulation to become damaged making live parts accessible. The user could touch live parts and receive an electric shock.            The product does not comply with the requirements of the Low Voltage Directive, nor with the European standard EN 60974-1.</p>	<p>從市場撤回            Withdrawal of the product from the market            警告消費者風險            Warning consumers of the risks</p>	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
44	芬蘭 (Finland)	品牌(Brand) : ELED 品名(Name) : 電源 (Power supply) 型號 (Model) : CJ-1203	<p>該產品的絕緣性能不佳，導致帶電部件裸露在外。用戶接觸到裸露的帶電部件可能會觸電。</p> <p>該產品不符合低電壓指令和歐洲標準 EN 61558 的要求。</p> <p>The product's insulation is inappropriate, leaving live parts accessible. The user could touch the accessible live parts and receive an electric shock.</p> <p>This product does not comply with the requirements of the Low Voltage Directive nor with the European Standard EN 61558.</p>	終端使用者手中召回產品 Recall of the product from end users	
41	斯洛伐克 (Slovakia)	品牌(Brand) : 不詳 (unknown) 品名(Name) : USB 風扇 (USB fan) 型號 (Model) : cn-usb03black	<p>該產品中的焊料鉛含量超標 (實測值最高達 22.7% (重量比)) 和鎘含量超標 (實測值最高達 0.055% (重量比))。鉛會對環境造成危害。該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。</p> <p>The solders in the product have an excessive concentration of lead (measured value up to 22.7 % by weight) and cadmium (measured value up to 0.055 % by weight). Lead poses a risk to the environment.</p> <p>The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	從市場撤回 Withdrawal of the product from the market 警告消費者風險 Warning consumers of the risks 終端使用者手中召回產品 Recall of the product from end users	
41	斯洛伐克 (Slovakia)	品牌(Brand) : 不詳 (unknown) 品名(Name) : LED 燈(LED light) 型號 (Model) : 不詳 (unknown)	<p>該產品中的焊料鉛含量過高 (實測值最高達 35.0% (重量比))。鉛會對環境造成危害。該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。</p> <p>The solders in the product have an excessive concentration of lead (measured value up to 35.0 % by weight). Lead poses a risk to the environment.</p> <p>The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	警告消費者風險 Warning consumers of the risks 終端使用者手中召回產品 Recall of the product from end users	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
42	斯洛伐克 (Slovakia)	<p>品牌(Brand)：RENEW FORCE            品名(Name)：無線麥克風 (Wireless microphone)            型號 (Model)：WS-858</p>	<p>該產品中的焊料鉛含量超標 (實測值最高達 56.0% (重量比)) 和鎘含量超標 (實測值最高達 0.408% (重量比))。鉛和鎘會對環境造成危害。該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。</p> <p>The solders in the product have an excessive concentration of lead (measured value up to 56.0 % by weight) and cadmium (measured value up to 0.408 % by weight). Lead and cadmium pose a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回            Withdrawal of the product from the market            警告消費者風險            Warning consumers of the risks            終端使用者手中召回產品            Recall of the product from end users</p>	
42	斯洛伐克 (Slovakia)	<p>品牌(Brand)：REBEL            品名(Name)：無線 LED 投影儀 (Wireless LED projector)            型號 (Model)：ZAR0557</p>	<p>該產品中的焊料鉛含量超標 (實測值最高達 57.7% (重量百分比))，鎘含量也超標 (實測值最高達 0.221% (重量百分比))。鉛和鎘會對環境造成危害。該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。</p> <p>The solders in the product have an excessive concentration of lead (measured value up to 57.7 % by weight) and cadmium (measured value up to 0.221 % by weight). Lead and cadmium pose a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回            Withdrawal of the product from the market            警告消費者風險            Warning consumers of the risks            終端使用者手中召回產品            Recall of the product from end users</p>	
44	愛爾蘭 (Ireland)	<p>品牌(Brand)：TUCSON            品名(Name)：水迴圈泵 (Water circulating pump)            型號 (Model)：不詳 (unknown)</p>	<p>無需施加任何過大的力，即可將水泵的電源連接器反接，導致帶電導體與進水口的接地端子接觸。因此，用戶可能因此接觸帶電部件並觸電。該產品不符合低電壓指令的要求，也不符合歐洲標準 EN60335-1、EN60335-2-7、EN60335-2-51 和 EN60320-1。</p> <p>The mains electrical coupling to the pump can be connected in reverse without applying any undue force, contacting the live conductor with the earth terminal on the inlet. The user could therefore touch live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN60335-1, EN60335-2-7, EN60335-2-51 and EN60320-1.</p>	<p>從市場撤回            Withdrawal of the product from the market            終端使用者手中召回產品            Recall of the product from end users</p>	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
42	瑞典 (Sweden)	<p>品牌(Brand)：不詳 (unknown)            品名(Name)：空氣加濕器 (Air humidifier)            型號 (Model)：L-2</p>	<p>該產品中的焊料鉛含量過高 (實測值最高達 38% (重量比))。鉛會對環境造成危害。            該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。            Solders in the product have excessive concentrations of lead (measured value up to 38% by weight). Lead poses a risk to the environment.            The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>邊境拒絕進口            Import rejected at border</p>	
42	瑞典 (Sweden)	<p>品牌(Brand)：不詳 (unknown)            品名(Name)：空氣加濕器 (Air humidifier)            型號 (Model)：不詳 (unknown)</p>	<p>該產品中的焊料鉛含量過高 (實測值最高達 55% (重量比))。鉛對環境構成風險。            該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。            The solders in the product have excessive concentrations of lead (measured value up to 55% by weight). Lead poses a risk to the environment.            The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>邊境拒絕進口            Import rejected at border</p>	
43	瑞典 (Sweden)	<p>品牌(Brand)：Nordic Home Culture            品名(Name)：空氣加濕器 (Air humidifier)            型號 (Model)：ARPR-100</p>	<p>該產品短鏈氯化石蠟 (SCCPs) 含量過高 (實測值最高達 0.34% (重量比))。SCCPs 會在環境中持久存在，即使低濃度也會對水生生物造成毒害，並在野生動物和人體內生物累積，對人類健康和環境構成威脅。長期經皮膚接觸可能導致癌症。            該產品不符合持久性有機污染物 (POPs) 法規的要求。            The product has an excessive concentration of short chain chlorinated paraffins (SCCPs) (measured value up to 0.34 % by weight). SCCPs persist in the environment, are toxic to aquatic organisms at low concentrations and bio-accumulate in wildlife and humans, posing a risk to human health and the environment. Prolonged exposure to them through the skin may cause cancer.            The product does not comply with the Persistent Organic Pollutants (POP) Regulation</p>	<p>從市場撤回            Withdrawal of the product from the market</p>	

# 2025 年 10 月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
41	德國 (Germany)	<p>品牌(Brand)：不詳 (unknown)            品名(Name)：加熱鞋墊 (Heating insole)            型號 (Model)：4384321            X001UOJK3B</p>	<p>使用該鞋墊會導致電池受到機械應力並發生形變，從而可能導致電池短路。短路可能導致電池起火，並造成用戶足部嚴重燒傷。            該產品不符合無線電設備指令 (RED) 的要求。            Wearing the insole leads to a mechanical strain and the deformations of the battery, which can cause the battery to short circuit. The short circuit may cause the battery to ignite and result in serious burns to the user's feet.            The product does not comply with the requirements of the Radio Equipment Directive (RED).</p>	<p>禁止銷售產品及任何附帶措施            Ban on the marketing of the product and any accompanying measures            從市場撤回            Withdrawal of the product from the market            終端使用者手中召回產品            Recall of the product from end users</p>	
43	德國 (Germany)	<p>品牌(Brand)：sccvee            品名(Name)：USB 充電器 (USB charger)            型號 (Model)：YILI-10USB01</p>	<p>電路間的爬電距離和安全距離不足，且不符合絕緣要求。這可能導致用戶因接觸帶電部件而觸電。            該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 62368-1 和 EN 50075。            There is insufficient creepage and clearance distance between circuits, and it does not meet required insulation requirements. This can lead to the user receiving an electric shock from accessible live parts.            The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 62368-1 and EN 50075.</p>	<p>從市場撤回            Withdrawal of the product from the market</p>	
43	德國 (Germany)	<p>品牌(Brand)：MEILEPAI            品名(Name)：電源延長器 (Extension lead)            型號 (Model)：F09</p>	<p>電源線沒有合適的接地系統。因此，連接到本產品的 1 類防護等級設備 (德標插頭) 未連接到電氣裝置的保護接地系統。如果連接的設備發生故障，可觸及的導電部件 (例如金屬外殼) 可能帶電。用戶因此可能觸電。            本產品不符合低電壓指令的要求。            The power supply cable has no adequate earthing system. Protection class 1 devices (Schuko plugs) connected to the product are therefore not connected to the protective earthing of the electrical installation. If the connected device has a fault, accessible conductive parts (e.g. metal housing) may be live. The user could therefore receive an electric shock.            The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>終端使用者手中召回產品            Recall of the product from end users</p>	

# 2025年10月電子電氣產品召回案例 (北美地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
40	美國 (America)	<p>品牌(Brand)：不詳 (unknown)            品名(Name)：移動電源 (Power Banks)            型號 (Model)：不詳 (unknown)</p>	<p>被召回的移動電源的鋰離子電池即使在未使用的情況下也可能過熱和起火，造成火災和燒傷危險。            The recalled power banks' lithium-ion batteries can overheat and ignite, even when not in use, posing fire and burn hazards.</p>	<p>替換            Replace</p>	
41	美國 (America)	<p>品牌(Brand)：不詳 (unknown)            品名(Name)：儲能電源 (Power Stations)            型號 (Model)：EFD310</p>	<p>發電站可能會過熱並起火，造成嚴重燒傷和火災隱患。            The Power Stations may overheat and ignite, posing a risk of serious burn injury and fire hazard.</p>	<p>修理            Repair</p>	
41	美國 (America)	<p>品牌(Brand)：ESR            品名(Name)：移動電源 (Power Banks)            型號 (Model)：2G505, 2G520, 2G505B, 2G512B</p>	<p>被召回的移動電源中的鋰離子電池可能會過熱並起火，對消費者構成火災和燒傷危險。            The lithium-ion battery in the recalled power banks can overheat and ignite, posing fire and burn hazards to consumers.</p>	<p>退款            Refund</p>	
43	美國 (America)	<p>品牌(Brand)：不詳 (unknown)            品名(Name)：卷髮棒 (Curling Iron)            型號 (Model)：LXT-CL-1.0</p>	<p>卷髮棒的筒身可能會斷裂脫落，對消費者造成燙傷危險。            The barrel of the curling iron can snap and detach, posing a burn hazard to consumers.</p>	<p>替換            Replace</p>	

# 2025 年 10 月電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
41	澳洲 (Australia)	<p>品牌(Brand)：ESR            品名(Name)：移動電源 (Power Banks)            型號 (Model)：2G520            2G505B            2G512B</p>	<p>移動電源可能會過熱並引發火災。            The power banks may overheat and catch fire.</p>	<p>1. 請立即停止使用受影響的移動電源。            2. 聯繫 ESR 申請全額退款。            3. 請根據當地鋰離子電池處理規定處置受影響的移動電源。我們將在處理退款前確認已完成處置。</p> <p>1. Stop using affected power banks immediately.            2. Contact ESR for a full refund.            3. Dispose of affected power banks in accordance with local requirements for lithium-ion batteries.            Confirmation of disposal will be sought prior to processing a refund.</p>	
41	澳洲 (Australia)	<p>品牌(Brand)：SHIEN            品名(Name)：LED 發光透明護齒器。(LED light-up clear mouth guard.)            型號 (Model)：不詳 (unknown)</p>	<p>該吸嘴不符合含鈕扣/硬幣電池產品的強制性標準。            電池未固定，兒童可能接觸到鈕扣/硬幣電池。            螺絲未固定在電池蓋上，更換電池時可能會丟失。            包裝上缺少以下警告資訊：            鈕扣/硬幣電池對兒童的危害            當懷疑有人吞食或將鈕扣/硬幣電池放入體內時應採取的措施</p> <p>The mouth piece doesn't comply with the mandatory standards for products containing button/coin batteries.            The battery isn't secured, and children could access the button/coin battery.            The screw isn't secured to the battery covering and could be lost when replacing the battery.            The packaging is missing warning information about the dangers of button/coin batteries to children            what to do when a person suspects someone has swallowed or placed a button/coin battery inside any part of their body.</p>	<p>立即停止使用本產品，並將其放在兒童接觸不到的地方。            請勿取出產品中的電池，並妥善處理產品。            SHIEN 將通過電子郵件聯繫受影響的消費者，郵件中包含一個連結，用於確認產品處理。            一旦確認處理，SHIEN 將立即全額退款。            如果您未收到郵件或在使用過程中遇到任何問題，請聯繫 SHIEN。</p> <p>Stop using the product immediately and keep it out of reach of children.            Do not remove the batteries from the product and dispose of the product safely.            SHIEN will contact affected consumers via email with a link to confirm disposal of the product.            SHEIN will process a full refund when the email is actioned.            Contact SHEIN if you have not received the email or are having difficulties with the email.</p>	

# 2025 年 10 月電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
41	澳洲 (Australia)	<p>品牌(Brand)：SHIEN            品名(Name)：便攜 LED 手電筒 (portable LED flashlight)            型號 (Model)：不詳 (unknown)</p>	<p>該產品不符合含鈕扣/硬幣電池產品的強制性標準。            電池未固定，兒童可能接觸到鈕扣/硬幣電池。            螺絲未固定在電池蓋上，更換電池時可能會丟失。            該產品缺少以下警告資訊：            鈕扣/硬幣電池對兒童的危害；            當懷疑有人吞食或將鈕扣/硬幣電池放入體內時應採取的措施。</p> <p>The product doesn't comply with the mandatory standards for products containing button/coin batteries.            The battery isn't secured, and children could access the button/coin battery.            The screw isn't secured to the battery covering and could be lost when replacing the battery.            The product is missing warning information about the dangers of button/coin batteries to children what to do when a person suspects someone has swallowed or placed a button/coin battery inside any part of their body.</p>	<p>請立即停止使用本產品，並將其放在兒童接觸不到的地方。            請勿取出產品中的電池，並妥善處理產品。            SHEIN 將通過電子郵件聯繫受影響的消費者，郵件中包含一個連結，用於確認產品處理。            SHEIN 將在收到郵件後處理全額退款。            如果您未收到郵件或在使用郵件時遇到任何問題，請聯繫 SHEIN。</p> <p>Stop using the product immediately and keep it out of reach of children.            Do not remove the batteries from the product and dispose of the product safely.            SHEIN will contact affected consumers by email with a link to confirm disposal of the product.            SHEIN will process a full refund when the email is actioned.            Contact SHEIN if you have not received the email or are having difficulties with the email.</p>	

# 2025 年 10 月電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
42	澳洲 (Australia)	<p>品牌(Brand)：不詳 (unknown)</p> <p>品名(Name)：便攜 LED 手電筒 (portable LED flashlight)</p> <p>型號 (Model)：100m rolls (SKU: TWIN-CABLE-2P5-100)</p> <p>30m rolls (SKU: TWIN-CABLE-2P5-30)</p> <p>10m rolls (SKU: TWIN-CABLE-2P5-10)</p>	<p>由於製造缺陷，該電纜的橫截面積和額定電流遠低於標示值和廣告宣傳值。這可能導致電纜在使用過程中超載、過熱甚至起火。</p> <p>Due to a manufacturing fault the cross section and current rating of the cable is significantly lower than marked and advertised.</p> <p>This may cause the cable to overload, overheat and catch fire during use.</p>	<p>請立即停止使用此線纜，並檢查受影響產品的標籤或包裝上的型號和批號。</p> <p>如果您是已安裝此線纜的客戶，請聯繫安裝人員，安排斷開線纜並將其退回供應商。</p> <p>如果您為客戶安裝了此線纜，請通知您的客戶，並安排斷開線纜並將其退回供應商。</p> <p>請聯繫 New Aim 客服安排退款。聯繫 New Aim 時，請提供產品詳情或購買憑證。</p> <p>Stop using this cable immediately and check the affected product label or packaging for the model and batch number.</p> <p>If you are a customer who has this cable installed, contact the person that installed the cable and arrange for the cable to be disconnected and returned to the supplier.</p> <p>If you installed this cable for a customer, notify your customer and arrange for the cable to be disconnected and returned to the supplier.</p> <p>Contact New Aim customer service to arrange a refund. When contacting New Aim, please provide product details or proof of purchase.</p>	
43	澳洲 (Australia)	<p>品牌(Brand)：不詳 (unknown)</p> <p>品名(Name)：LED 照亮彈跳的球 (LED light up bouncing balls)</p> <p>型號 (Model)：不詳 (unknown)</p>	<p>該產品不符合含鈕扣/硬幣電池產品的強制性標準。</p> <p>包裝上缺少以下警告資訊： 鈕扣/硬幣電池對兒童的危害 當懷疑有人吞食或將鈕扣/硬幣電池放入體內時應採取的措施。</p> <p>The product doesn't comply with the mandatory standard for products containing button/coin batteries.</p> <p>The packaging is missing warning information about: the dangers of button/coin batteries to children what to do when a person suspects someone has swallowed or placed a button/coin battery inside any part of their body.</p>	<p>請立即停止使用本產品，並將其放置在兒童不能接觸的地方。</p> <p>請聯繫 RMS International 獲取所需的警告標籤。</p> <p>Stop using the product immediately and place out of reach of children.</p> <p>Contact RMS International to receive the required warning labelling.</p>	

# 2025 年 10 月電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
43	澳洲 (Australia)	<p>品牌(Brand)：不詳 (unknown)</p> <p>品名(Name)：充電聚光燈 (rechargeable spotlight)</p> <p>型號 (Model)：不詳 (unknown)</p>	<p>聚光燈內部的鋰離子電池可能會過熱。</p> <p>The lithium-ion battery inside the spotlight may overheat.</p>	<p>請立即停止使用該產品，並檢查產品手柄，確認生產日期是否屬於受影響批次。</p> <p>將聚光燈退回購買地點，即可獲得全額退款。</p> <p>Stop using the product immediately and check the handle of the product, to see if the date code is part of the affected batch.</p> <p>Return the spotlight to the place of purchase to receive a full refund.</p>	
44	澳洲 (Australia)	<p>品牌(Brand)：SHIEN</p> <p>品名(Name)：LED 燈 (LED lights)</p> <p>型號 (Model)：不詳 (unknown)</p>	<p>這些產品不符合含鈕扣/硬幣電池產品的強制性標準。</p> <p>電池未固定，兒童可能接觸到鈕扣/硬幣電池。</p> <p>螺絲未固定在電池蓋上，更換電池時可能會丟失。</p> <p>這些產品缺少以下警告資訊： 鈕扣/硬幣電池對兒童的危害； 當懷疑有人吞食或將鈕扣/硬幣電池放入體內時應採取的措施。</p> <p>The products don't comply with the mandatory standards for products containing button/coin batteries.</p> <p>The battery isn't secured, and children could access the button/coin battery.</p> <p>The screw isn't secured to the battery covering and could be lost when replacing the battery.</p> <p>The products are missing warning information about the dangers of button/coin batteries to children</p> <p>what to do when a person suspects someone has swallowed or placed a button/coin battery inside any part of their body.</p>	<p>請立即停止使用本產品，並將其放在兒童接觸不到的地方。</p> <p>請勿取出產品中的電池，並妥善處理產品。</p> <p>SHEIN 將通過電子郵件聯繫受影響的消費者，郵件中包含一個連結，用於確認產品處理。</p> <p>SHEIN 將在收到郵件後處理全額退款。</p> <p>如果您未收到郵件或在使用郵件時遇到任何問題，請聯繫 SHEIN。</p> <p>Stop using the product immediately and keep it out of reach of children.</p> <p>Do not remove the batteries from the product and dispose of the product safely.</p> <p>SHEIN will contact affected consumers by email with a link to confirm disposal of the product.</p> <p>SHEIN will process a full refund when the email is actioned.</p> <p>Contact SHEIN if you have not received the email or are having difficulties with the email.</p>	

# 2025 年 10 月電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
44	澳洲 (Australia)	<p>品牌(Brand) : Ariston            品名(Name) : 熱泵式熱水器 (heat pump water heaters)            型號 (Model) : ARIHPWH-200            ARIHPWH-280</p>	<p>這些受影響的熱水器存在製造缺陷，可能導致其發生故障並引發火災。            These affected water heaters have a manufacturing fault that can cause it to malfunction and cause a fire.</p>	<p>立即斷開熱水器的電源，方法是操作設備旁邊的開關或拔下電源插座上的插頭。            聯繫 Chromagen 安排免費上門檢查並維修故障熱水器。            清除設備周圍的所有易燃物品。            Immediately disconnect the water heater from the power supply by operating the switch next to the device or disconnecting it from the power outlet socket.            Contact Chromagen to arrange a free on-site inspection and to repair the affected water heater.            Remove any combustible materials surrounding unit.</p>	
42	韓國(Korea)	<p>品牌(Brand) : Xiaomi            品名(Name) : 移動電源 (Power Bank)            型號 (Model) : 不詳 (unknown)</p>	<p>由於某供應商提供的原材料可能存在品質問題，2024 年 8 月至 9 月期間生產的部分產品 (型號 : PB2030MI) 在特定使用條件下可能出現故障。目前，小米正在與供應商進行調查，同時，小米始終致力於為全球用戶提供安全、可靠、高品質的產品。因此，秉承小米對產品安全的承諾，我們特此發佈召回公告，以防萬一。            Due to potential quality issues with raw materials supplied by one of our suppliers, certain products (model: PB2030MI) manufactured between August and September 2024 may malfunction under certain conditions of use. While investigations with suppliers are ongoing, Xiaomi is committed to providing safe, reliable, and high-quality products to users around the world. Therefore, in line with Xiaomi's commitment to product safety, we are announcing a recall as a precaution.</p>	<p>消費者可以前往小米線下服務中心或訪問官方網站 (<a href="https://www.mi.com/kr/support/safety-notice/">https://www.mi.com/kr/support/safety-notice/</a>) 查詢產品是否在召回範圍內，並通過輸入序號申請退貨退款。            Consumers can visit offline Xiaomi service centers or access the official website (<a href="https://www.mi.com/kr/support/safety-notice/">https://www.mi.com/kr/support/safety-notice/</a>) to check whether they are subject to recalls and request product returns and refunds by entering the SN code.</p>	

# 2025年10月電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
44	韓國(Korea)	<p>品牌(Brand) : 파비스 따끄니</p> <p>品名(Name) : 熱蒸汽儀 (Electric steamer)</p> <p>型號 (Model) : PV-F12DC3A</p>	<p>在正常使用過程中，由於溫升過高，有發生火災的危險。</p> <p>There is a risk of fire due to excessive temperature rise during normal use.</p>	<p>請聯繫或前往客服中心辦理維修、換貨、退款等事宜。已購買該產品的消費者應立即停止使用。</p> <p>Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	
44	韓國(Korea)	<p>品牌(Brand) : 킨톤</p> <p>品名(Name) : 加熱墊 (Heated sheet)</p> <p>型號 (Model) : KT-TH001</p>	<p>正常使用過程中，溫度過高可能導致火災風險。存在提供錯誤資訊的風險。</p> <p>There is a risk of fire due to excessive temperature rise during normal use. There is a risk of providing incorrect information.</p>	<p>請聯繫或前往客服中心辦理維修、換貨、退款等事宜。已購買該產品的消費者應立即停止使用。</p> <p>Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	
44	韓國(Korea)	<p>品牌(Brand) : 不詳 (unknown)</p> <p>品名(Name) : 可攜式鐳射產品 (Portable Laser Products)</p> <p>型號 (Model) : K2 1mw</p>	<p>存在視力受損的風險；存在提供錯誤資訊的風險。</p> <p>There is a risk of vision impairment There is a risk of providing misinformation</p>	<p>請聯繫或前往客服中心辦理維修、換貨、退款等事宜。已購買該產品的消費者應立即停止使用。</p> <p>Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	
44	韓國(Korea)	<p>品牌(Brand) : 不詳 (unknown)</p> <p>品名(Name) : 可攜式鐳射產品 (Portable Laser Products)</p> <p>型號 (Model) : B29SK</p>	<p>存在視力受損的風險；存在提供錯誤資訊的風險。</p> <p>There is a risk of vision impairment There is a risk of providing misinformation</p>	<p>請聯繫或前往客服中心辦理維修、換貨、退款等事宜。已購買該產品的消費者應立即停止使用。</p> <p>Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	

# 2025年10月電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
44	韓國(Korea)	品牌(Brand)：不詳 (unknown) 品名(Name)：眼睛按摩儀 (Eye massager ) 型號 (Model)：PPM2701	有提供錯誤資訊的風險，有被燒傷的風險， 因為溫升過高。 There is a risk of providing misinformation There is a risk of burns due to excessive temperature rise	請聯繫或前往客服中心辦理維修、換貨、退款等事宜。 已購買該產品的消費者應立即停止使用。 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.	
44	韓國(Korea)	品牌(Brand)：不詳 (unknown) 品名(Name)：眼睛按摩儀 (Eye massager ) 型號 (Model)：205	有提供錯誤資訊的風險，有被燒傷的風險， 因為溫升過高。 There is a risk of providing misinformation There is a risk of burns due to excessive temperature rise	請聯繫或前往客服中心辦理維修、換貨、退款等事宜。 已購買該產品的消費者應立即停止使用。 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.	
44	韓國(Korea)	品牌(Brand)：不詳 (unknown) 品名(Name)：眼睛按摩儀 (Eye massager ) 型號 (Model)：SH-ME02	有提供錯誤資訊的風險，有被燒傷的風險， 因為溫升過高。 There is a risk of providing misinformation There is a risk of burns due to excessive temperature rise	請聯繫或前往客服中心辦理維修、換貨、退款等事宜。 已購買該產品的消費者應立即停止使用。 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.	
44	韓國(Korea)	品牌(Brand)：不詳 (unknown) 品名(Name)：眼睛按摩儀 (Eye massager ) 型號 (Model)：Ifan-L20W	有提供錯誤資訊的風險，有被燒傷的風險， 因為溫升過高。 There is a risk of providing misinformation There is a risk of burns due to excessive temperature rise	請聯繫或前往客服中心辦理維修、換貨、退款等事宜。 已購買該產品的消費者應立即停止使用。 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.	

# 2025 年 10 月 電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
44	韓國(Korea)	品牌(Brand) : 네모땀 品名(Name) : 電熨斗 (Electric iron) 型號 (Model) : Y-816	在正常使用過程中，由於溫升過高，有發生火災的危險。 There is a risk of fire due to excessive temperature rise during normal use.	請聯繫或前往客服中心辦理維修、換貨、退款等事宜。 已購買該產品的消費者應立即停止使用。 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.	
44	韓國(Korea)	品牌(Brand) : YOITCH 品名(Name) : 電源 (power supply) 型號 (Model) : BT3001X	如果絕緣距離不足，挑戰者觸摸時有觸電的危險。 If the insulation distance is insufficient, there is a risk of electric shock when the challenger touches it.	請聯繫或前往客服中心辦理維修、換貨、退款等事宜。 已購買該產品的消費者應立即停止使用。 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.	
44	韓國(Korea)	品牌(Brand) : 로렌텍 品名(Name) : 電源 (power supply) 型號 (Model) : RHB-55W	產品絕緣層破損，存在觸電風險。 There is a risk of electric shock due to insulation breakdown on the product	請聯繫或前往客服中心辦理維修、換貨、退款等事宜。 已購買該產品的消費者應立即停止使用。 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.	