

2026 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	丹麥 (Denmark)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：USB 充電器 (USB charger) 型號 (Model)：YSY-6044</p>	<p>SELV (安全特低電壓) 變壓器初級側和次級側之間的爬電距離不足。在安裝和維護/清潔過程中，SELV 電路可能被觸碰，從而導致觸電。 該產品不符合低電壓指令和歐洲標準 EN 62368-1 的要求。 The creepage distance between primary and secondary side in the SELV (Safety Extra Low Voltage) transformer is insufficient. SELV circuits can be touched during mounting and maintenance/cleaning, leading to an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	
6	丹麥 (Denmark)	<p>品牌(Brand)：Olaf 品名(Name)：旅行適配器 (Travel adaptor) 型號 (Model)：不詳 (unknown)</p>	<p>SELV (安全特低電壓) 變壓器初級側和次級側之間的爬電距離不足。在安裝和維護/清潔過程中，SELV 電路可能被觸碰，從而導致觸電。 該產品不符合低電壓指令和歐洲標準 EN 62368-1 的要求。 The creepage distance between primary and secondary side in the SELV (Safety Extra Low Voltage) transformer is insufficient. SELV circuits can be touched during mounting and maintenance/cleaning, leading to an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	
6	丹麥 (Denmark)	<p>品牌(Brand)：AYMBH 品名(Name)：旅行適配器 (Travel adaptor) 型號 (Model)：AYMBH128</p>	<p>SELV (安全特低電壓) 變壓器初級側和次級側之間的爬電距離不足。在安裝和維護/清潔過程中，SELV 電路可能被觸碰，從而導致觸電。 該產品不符合低電壓指令和歐洲標準 EN 62368-1 的要求。 The creepage distance between primary and secondary side in the SELV (Safety Extra Low Voltage) transformer is insufficient. SELV circuits can be touched during mounting and maintenance/cleaning, leading to an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	

2026 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：電烤箱 (Stove) 型號 (Model)：不詳 (unknown)</p>	<p>保險絲的顆粒填充物不足。因此，如果在使用過程中發生故障，保險絲可能無法防止火災和爆炸。 本產品不符合低電壓指令的要求。 The granular filler of the fuse is inadequate. Consequently, if a fault occurs during use, the fuse may fail to prevent fire and explosion. This product does not comply with the requirements of the Low Voltage Directive.</p>	<p>邊境拒絕進口 Import rejected at border 產品銷毀 Destruction of the product</p>	
9	北愛爾蘭 (United Kingdom in respect of Northern Ireland)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：電池充電器 (Battery charger) 型號 (Model)：不詳 (unknown)</p>	<p>該產品保險絲缺少顆粒狀填充物。因此，如果在使用過程中發生故障，保險絲可能無法防止火災和爆炸。 該產品不符合低電壓指令的要求。 The product lacks a granular filler of the fuse. Consequently, if a fault occurs during use, the fuse may fail to prevent fire and explosion. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>邊境拒絕進口 Import rejected at border 產品銷毀 Destruction of the product</p>	
7	匈牙利 (Hungary)	<p>品牌(Brand)：QUANLONG 品名(Name)：水缸燈 (Aquarium lamp) 型號 (Model)：71257 QL-30B</p>	<p>電源外殼的機械強度不足。此外，該產品不具備防潮功能。用戶可能接觸到裸露的帶電部件，從而導致觸電。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 606598-1 和 EN 60598-2-11。 The mechanical strength of the power supply housing is inadequate. Moreover, the product is not protected against moisture. The user could touch accessible live parts, which may cause an electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 606598-1 and EN 60598-2-11.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures</p>	

2026 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
9	匈牙利 (Hungary)	品牌(Brand)：不詳 (unknown) 品名(Name)：燈鏈 (Lighting chain) 型號 (Model)：L017-M500	<p>電纜未正確固定，裸露的電線絕緣不足。此外，連接插頭和插座尺寸不符合規格。用戶可能接觸到裸露的帶電部件，從而導致觸電。</p> <p>該產品不符合低電壓指令和歐洲標準 EN 60598 的要求。</p> <p>The cable is not properly anchored and the accessible wires have inadequate insulation. Moreover, the dimensions of the connection plug and socket do not comply with the specifications. The user could touch accessible live parts, which may cause an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	從市場撤回 Withdrawal of the product from the market 禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures	
9	匈牙利 (Hungary)	品牌(Brand)：不詳 (unknown) 品名(Name)：燈鏈 (Lighting chain) 型號 (Model)：2MX1.5M/LED	<p>該電纜缺乏適當的固定，且裸露的電線絕緣不足。用戶可能接觸到裸露的帶電部件，從而導致觸電。此外，儘管該產品推薦用於戶外，但並未進行防潮處理。因此，水可能滲入產品內部並導致觸電。</p> <p>該產品不符合低電壓指令和歐洲標準 EN 60598 的要求。</p> <p>The cable lacks proper anchoring and the accessible wires have inadequate insulation. The user could touch accessible live parts, which can lead to an electric shock. Moreover, the product is not protected against moisture, despite being recommended for outdoor use. Consequently, water could penetrate the product and cause an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598.</p>	從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures	
6	西班牙 (Spain)	品牌(Brand)：Tengda 品名(Name)：燈鏈 (Lighting chain) 型號 (Model)：33134	<p>導線的橫截面積過小，這可能導致產品積聚過多熱能並引發火災。</p> <p>該產品不符合低電壓指令和歐洲標準 EN 60598-2-20 的要求。</p> <p>The cross-section of the wires is too small. This could lead the product to accumulate too much heat energy and catch fire.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60598-2-20.</p>	從市場撤回 Withdrawal of the product from the market	

2026年2月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	西班牙 (Spain)	<p>品牌(Brand) : POWSAF 品名(Name) : 電源延長線 (Extension lead) 型號 (Model) : EU615C</p>	<p>該產品的安全防護裝置不足。用戶可能因接觸到帶電部件而觸電。 該產品不符合低電壓指令的要求。 The shutters of the product are inadequate. The user could receive an electric shock from accessible live parts. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures</p>	
6	西班牙 (Spain)	<p>品牌(Brand) : JSVER 品名(Name) : 電源延長線 (Extension lead) 型號 (Model) : PS3038</p>	<p>這些壓力錶可能會插入到電源條故障的某個擋板中。因此，存在火災和/或觸電的風險。 該產品不符合低電壓指令的要求。 The gauges can be inserted into one of the shutters of the power strip which is not operating properly. Consequently, there is a risk of fire and/or electric shock. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
6	西班牙 (Spain)	<p>品牌(Brand) : Hama 品名(Name) : 電源延長線 (Extension lead) 型號 (Model) : 00 030383/G3101887</p>	<p>該產品缺少安全擋板。因此，用戶可能因接觸到帶電部件而觸電。 該產品不符合低電壓指令的要求。 The product is lacking shutters. The user could therefore receive an electric shock from accessible live parts. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
6	西班牙 (Spain)	<p>品牌(Brand) : BALASHOV 品名(Name) : 蒸汽清潔器 (Steam cleaner) 型號 (Model) : AH-SL-001V</p>	<p>溫度控制裝置中的短路會導致設備繼續運行，並可能造成意外啟動。此外，接地保護不足，可能導致火災和用戶燒傷。 該產品不符合低電壓指令和歐洲標準 EN 60335-2 的要求。 A short-circuit in the temperature control device allows continued operation, and the appliance can be unintentionally activated. Moreover, the earthing protection is inadequate which can lead to a fire and burns to the user. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 60335-2.</p>	<p>禁止銷售產品及任何附帶措施 Ban on the marketing of the product and any accompanying measures</p>	

2026 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	西班牙 (Spain)	<p>品牌(Brand) : VOOMY 品名(Name) : 電源延長線 (Extension lead) 型號 (Model) : VS0611, SN 2252350</p>	<p>快門保護不足，導致用戶可接觸到帶電部件。用戶可能觸碰到這些帶電部件而觸電。此外，耐熱性不足可能引發火災。該產品不符合低電壓指令的要求。 Inadequate shutter protection allows access to live parts. The user could touch the accessible live parts and receive an electric shock. Additionally, insufficient heat resistance may lead to a fire. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
6	法國 (France)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 捲髮器 (Hair curler) 型號 (Model) : 不詳 (unknown)</p>	<p>部分內部導線僅通過簡單的焊接固定。這些焊點可能斷裂，導致導線脫落，從而使帶電部件與電器可觸及部件（例如把手或外殼）之間的距離不足。因此，用戶可能因此觸電。 該產品不符合低電壓指令的要求。 Some internal conductors are held in place only by simple welding. These welds could break, causing the conductors to detach, causing the distance between the live parts and the accessible parts of the appliance (such as the handle or the casing) to become insufficient. The user could therefore receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	
6	法國 (France)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 電水壺 (Electric kettle) 型號 (Model) : MF06</p>	<p>該產品機械強度不足，因此在受到衝擊或跌落時容易損壞。此外，連接雙金屬開關和加熱元件的電線接頭壓接不牢固，隨著時間的推移可能會脫落。該產品的間隙也不足。所有這些問題都可能導致用戶接觸到帶電部件，從而造成觸電危險。另外，電源插頭不符合規範，可能導致連接鬆動和產品過熱。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60335-1 和 EN 60335-2-23。 The product does not have sufficient mechanical strength and could therefore easily break in case of an impact or fall of the product. Moreover, the connectors of the wires supplying the bimetallic switch and the heating element are not correctly crimped and over time could detach. The product also has insufficient clearance distances. All these could cause live parts to become accessible to the user, who could receive an electric shock. Additionally, the electrical plug is non-compliant, which could lead to a loose connection and overheating of the product. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60335-1 and EN 60335-2-23.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace 從市場撤回 Withdrawal of the product from the market</p>	

2026年2月電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
7	法國 (France)	<p>品牌(Brand) : Carrefour Home 品名(Name) : 炸鍋 (Deep fryer) 型號 (Model) : HDF30B-25</p>	<p>油溫可能過高並飛濺，造成燙傷風險。 該產品不符合低電壓指令的要求。 The oil may reach too high temperatures and splatter, posing a risk of burns. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 警告消費者風險 Warning consumers of the risks</p>	
7	法國 (France)	<p>品牌(Brand) : SENTO 品名(Name) : LED 照明燈 (LED floodlight) 型號 (Model) : SD054-50W-EU</p>	<p>可觸及的金屬部件未正確接地。用戶可能接觸到帶電部件並遭受電擊。 該產品不符合低電壓指令的要求。 The accessible metal parts have not been correctly earthed. The user can access live parts and receive an electric shock. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>終端使用者手中召回產品 Recall of the product from end users 線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	
8	法國 (France)	<p>品牌(Brand) : "LOVE NOVA" 品名(Name) : 直發器 (Hair straightener) 型號 (Model) : 不詳 (unknown)</p>	<p>該設備的內部電線保護不足，缺少雙層絕緣層。此外，帶電導線與可觸及部件（例如外殼或按鈕）之間的空間過小。而且，部分導線僅靠焊接固定，這些導線可能因磨損或振動而脫落，從而縮短帶電部件與可觸及部件之間的距離，增加觸電風險。 該產品不符合低電壓指令的要求。 The device's internal electric wires are not sufficiently protected. The double-layer insulation is missing. Moreover, the space between the live wires and the accessible parts (such as the casing or the buttons) is too small. Additionally, some of the wires are held in place only by welding. These wires may become detached due to wear or vibrations, reducing the distance between the live parts and the accessible parts, increasing the risk of electric shock. The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	

2026 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
8	法國 (France)	<p>品牌(Brand) : Carrefour Home 品名(Name) : 空氣炸鍋 (Air fryer) 型號 (Model) : HAF10LDU1700-25</p>	<p>該產品可能過熱，導致加熱元件附近的材料熔化，從而使食品不宜食用。 該產品不符合低電壓指令和食品接觸材料 (FCM) 法規的要求。 The product might overheat, which could cause the material close to the heating element to melt rendering the food unsafe for consumption. The product does not comply with the requirements of the Low Voltage Directive nor with the Food Contact Materials (FCM) Regulation.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	
9	芬蘭 (Finland)	<p>品牌(Brand) : Wozinsky 品名(Name) : USB 充電器 (USB charger) 型號 (Model) : WWCG01</p>	<p>該充電器絕緣性能不足，存在觸電風險。 該產品不符合低電壓指令和歐洲標準 EN 62368-1 的要求。 The charger has insufficient insulation, leading to a risk of electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	<p>終端使用者手中召回產品 Recall of the product from end users</p>	
6	斯洛伐克 (Slovakia)	<p>品牌(Brand) : UOUOROSE 品名(Name) : 直發器 (Hair straightener) 型號 (Model) : MZ36</p>	<p>由於電源線的防潮性能、電氣強度、設計和標稱橫截面積不足，該產品存在使用者觸電風險。 該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60335-1 和 EN 60335-2。 Due to insufficient moisture resistance, electrical strength, design and nominal cross-section area of the power cord, the product poses a risk of electric shock to the user. The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60335-1 and EN 60335-2.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 警告消費者風險 Warning consumers of the risks</p>	



2026 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	愛沙尼亞 (Estonia)	<p>品牌(Brand) : Soulima 品名(Name) : 電動跟銼 (Electric heel file) 型號 (Model) : 23220</p>	<p>該產品中的焊料鉛含量過高 (最高達 53%重量比) 。鉛會對環境造成危害。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead (measured up to 53% by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>從市場撤回 Withdrawal of the product from the market</p>	
6	瑞典 (Sweden)	<p>品牌(Brand) : Ohmega 品名(Name) : 耳機 (Headphones) 型號 (Model) : OH-318/758318</p>	<p>該產品中的焊料鉛含量過高 (實測值：最高達 55% (重量比)) 。鉛對環境構成威脅。 該產品不符合關於限制在電氣和電子設備中使用某些有害物質的指令 (RoHS 2 指令) 的要求。 The solders in the product have an excessive concentration of lead. (measured value: up to 55 % by weight). Lead poses a risk to the environment. The product does not comply with the requirements of the Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2 Directive).</p>	<p>邊境拒絕進口 Import rejected at border</p>	
7	德國 (Germany)	<p>品牌(Brand) : Néonail 品名(Name) : 燈 (Lamp) 型號 (Model) : 7991</p>	<p>電源外殼內安裝的變壓器絕緣不足，且沒有 Y 型電容保護其免受電氣擊穿。這可能導致觸電。 該產品不符合低電壓指令和歐洲標準 EN 62368-1 的要求。 The insulation of the transformer installed in the power supply housing is insufficient and there is no Y capacitor to protect it from an electrical breakdown. This may lead to electric shock. The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62368-1.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users</p>	




2026 年 2 月 電子電氣產品召回案例 (歐洲地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
7	德國 (Germany)	<p>品牌(Brand) : Cameron sino 品名(Name) : 電池充電器 (Battery charger) 型號 (Model) : DF-DYC600EU</p>	<p>充電器帶電部件與可觸及部件之間的隔離不足，保護導體也不足，這可能導致保護性接地中斷。因此，用戶可能會觸電。該產品不符合低電壓指令的要求，也不符合歐洲標準 EN 60598 和 EN 60335。</p> <p>The isolation between the live parts and accessible parts of the charger is insufficient and the protective conductor is insufficient, which can lead to protective earth interruption. The user can therefore receive an electric shock</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standards EN 60598 and EN 60335.</p>	<p>終端使用者手中召回產品 Recall of the product from end users</p>	
9	德國 (Germany)	<p>品牌(Brand) : Trio 品名(Name) : 吸頂燈 (Ceiling light) 型號 (Model) : 649317000</p>	<p>在高溫環境下使用時，吸頂燈中的 LED 燈無法有效散熱，容易過熱，導致 LED 燈板和燈罩著火。 該產品不符合低電壓指令的要求。</p> <p>When used in hot rooms, the LEDs in the ceiling lamp cannot dissipate the process heat and overheat, which can lead to the LED board and cover catching fire.</p> <p>The product does not comply with the requirements of the Low Voltage Directive.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 警告消費者風險 Warning consumers of the risks 產品銷毀 Destruction of the product</p>	
8	盧森堡 (Luxembourg)	<p>品牌(Brand) : IHYCTV 品名(Name) : LED 燈 (LED Lamp) 型號 (Model) : T5-135-G03</p>	<p>該產品絕緣性能不足。用戶可能接觸到帶電部件並遭受電擊。 該產品不符合低電壓指令和歐洲標準 EN 62776 的要求。</p> <p>The product has insufficient insulation. The user can access live parts and receive an electric shock.</p> <p>The product does not comply with the requirements of the Low Voltage Directive nor with the European standard EN 62776.</p>	<p>從市場撤回 Withdrawal of the product from the market 終端使用者手中召回產品 Recall of the product from end users 線上市場刪除了該產品清單 Removal of this product listing by the online marketplace</p>	

2026 年 2 月 電子電氣產品召回案例 (北美地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	美國 (America)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：LED 燈 (LED Lights) 型號 (Model)：不詳 (unknown)</p>	<p>此次召回的 LED 燈違反了含鈕扣電池的消費品強制性標準，因為它們含有兒童容易接觸到的鋰鈕扣電池，存在誤食風險。此外，這些 LED 燈也沒有按照裡斯法案的要求貼上警告標識。兒童吞食鈕扣電池會導致嚴重傷害、內部化學灼傷甚至死亡，對兒童構成嚴重危害。</p> <p>The recalled LED lights violate the mandatory standard for consumer products containing button cell or coin batteries because they contain lithium coin batteries that can be accessed easily by children, posing an ingestion hazard. Additionally, the LED lights do not have the warnings as required by Reese's Law. When children swallow button cell or coin batteries, the ingested batteries can cause serious injuries, internal chemical burns, and death, posing an ingestion hazard to children.</p>	<p>退款 Refund</p>	
6	美國 (America)	<p>品牌(Brand)：PurSteam 品名(Name)：旅行蒸汽機 (Travel Steamers) 型號 (Model)：PS-510</p>	<p>蒸汽機在使用過程中可能會從蒸汽噴嘴噴出熱水，對消費者造成嚴重的燙傷危險。</p> <p>The steamers can expel hot water from the steam nozzle during use, posing a serious burn hazard to consumers.</p>	<p>退款 Refund</p>	
7	美國 (America)	<p>品牌(Brand)：Aroeve 品名(Name)：空氣淨化器 (air purifiers) 型號 (Model)：MK04</p>	<p>空氣淨化器可能會過熱並起火，對消費者造成火災和燒傷危險。</p> <p>The air purifiers can overheat and ignite, posing fire and burn hazards to consumers.</p>	<p>替換 Replace</p>	

2026 年 2 月 電子電氣產品召回案例 (北美地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
9	美國 (America)	<p>品牌(Brand) : SumDirect 品名(Name) : 迷你 LED 燈 (LED Mini Lights) 型號 (Model) : 不詳 (unknown)</p>	<p>此次召回的 LED 燈違反了含鈕扣電池的消費品強制性標準，因為這些 LED 燈含有兒童容易接觸到的鈕扣電池，存在誤食風險。此外，這些 LED 燈也沒有按照裡斯法案的要求貼上警告標識。誤食鈕扣電池會導致嚴重的傷害、內部化學灼傷甚至死亡。</p> <p>The recalled LED lights violate the mandatory standard for consumer products containing button cell or coin batteries because they contain button cell batteries that can be accessed easily by children, posing an ingestion hazard. Additionally, the LED lights do not have the warnings as required by Reese's Law. When button cell and coin batteries are swallowed, the ingested batteries can cause serious injuries, internal chemical burns and death.</p>	<p>退款 Refund</p>	
9	美國 (America)	<p>品牌(Brand) : 不詳 (unknown) 品名(Name) : 蒸汽吸塵器 (Steam Cleaners) 型號 (Model) : DUP020WNA</p>	<p>如果蒸汽清潔器的鍋爐注水過滿、腐蝕或泄壓閥發生故障，則鍋爐可能會破裂，從而對使用者或旁觀者造成燙傷或嚴重傷害的風險。</p> <p>The steam cleaner's boiler can rupture if it is overfilled, corroded and the pressure release valve malfunctions, posing risk of burn hazards or serious injury to users or bystanders.</p>	<p>修理 Repair</p>	
9	美國 (America)	<p>品牌(Brand) : babysense 品名(Name) : 嬰兒監視器 (Baby Monitors) 型號 (Model) : VBM55.</p>	<p>嬰兒監視器的顯示單元或“母機”在充電時可能會過熱和/或產生火花，對消費者構成火災隱患。</p> <p>The display or “parent” unit of the Max View baby monitors can overheat and/or spark when charging, posing a fire hazard to consumers.</p>	<p>替換 Replace</p>	

2026 年 2 月 電子電氣產品召回案例 (北美地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
9	美國 (America)	<p>品牌(Brand)：不詳 (unknown) 品名(Name)：LED 燈具 (LED light fixtures) 型號 (Model)：</p> <p>2-foot-wide models: 55202, 55203, 55208, 55209, 55209-WC, 55213, 55214, 55222, 55223, 55225, 55226, 55227, 55228, 55360, 55361, 55362, 55363, 55477, 55478, 55480, 55481, 55482, 55483, 55484, 55485, 55504, 55505, 55506, 55507, 55508, 55511, 55512, 55514, 55515, 55518, 55534, 55535, 55536, 55537, 55538, 55539, 55710, 55711, 55712, 55713, 55714, 55715.</p> <p>4-foot-wide models: 55213, 55214, 55215, 55230, 55231, 55232, 55364, 55365, 55366, 55367, 55487, 55491, 55492, 55510, 55521, 55716, 55717, 55720, 55722.</p>	<p>某些燈具內部用於固定 LED 板的固定銷可能會老化，導致 LED 板在燈具內部鬆動，從而造成火災隱患。 The retaining pins used to secure the LED board inside some units can degrade, allowing the LED board to come loose inside the fixture, posing a fire hazard.</p>	<p>修理 Repair</p>	

2026 年 2 月 電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
6	澳洲 (Australia)	<p>品牌(Brand) : Let's Travel Baby 品名(Name) : 液晶書寫板 (LCD writing tablet) 型號 (Model) : NLT-L085MK/100MK/120MK</p>	<p>兒童吞食或將鈕扣電池放入體內可能導致窒息、嚴重內傷甚至死亡。 嚴重傷害可能在短短兩小時內發生，甚至危及生命。在澳大利亞，已有兒童因吞食鈕扣電池而遭受嚴重傷害或死亡。 Children are at risk of choking, severe internal burn injuries or death if they swallow or place button/coin batteries inside their bodies. Serious injury can occur in as little as 2 hours and the results can be fatal. In Australia, children have suffered serious injuries or died from swallowing button/coin batteries.</p>	<p>立即停止使用，並置於兒童接觸不到的地方。 聯繫 Let's Travel Baby，安排退貨並獲得全額退款。 Stop using the product immediately and keep out of reach of children. Contact Let's Travel Baby to arrange to return the product for a full refund.</p>	
7	澳洲 (Australia)	<p>品牌(Brand) : Brilliant Aussies 品名(Name) : 電池供電的超輕型無線吹葉機的 AC/DC 電源和充電器。(AC/DC power supply and charger for battery-powered ultra-light cordless leaf blower.) 型號 (Model) : 220</p>	<p>未絕緣的插頭插腳可能導致觸電，造成嚴重人身傷害甚至死亡。產品起火可能造成財產損失。 曾發生過事故。 Risk of serious injury or death from electric shock from uninsulated plug pins. Risk of property damage if the product catches fire. Incidents have occurred.</p>	<p>請立即停止使用充電器並將其從電源插座上拔下。 請聯繫 Brilliant Aussies 註冊，即可免費更換符合標準的 AC/DC 充電器，並獲得有關如何安全處置召回的 AC/DC 充電器的說明。 Stop using the charger immediately and unplug it from the power outlet. Contact Brilliant Aussies to register for a free replacement with a compliant AC/DC charger and instructions on how to safely dispose of the recalled AC/DC charger.</p>	
9	韓國(Korea)	<p>品牌(Brand) : 머레이 品名(Name) : 電池 (battery) 型號 (Model) : 21700 5000mAh</p>	<p>過充測試不合格 - 保護電路元件損壞 Overcharge Test Nonconformity - Protection Circuit Components Damaged</p>	<p>聯繫或訪問服務台接受維修，換貨，退款等。消費者擁有該產品的人應立即停止使用 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	

2026年2月電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
9	韓國(Korea)	<p>品牌(Brand)：不詳 (unknown)</p> <p>品名(Name)：可攜式鐳射產品 (Portable Laser Products)</p> <p>型號 (Model)：ZK-2381</p>	<p>鐳射功率超標</p> <ul style="list-style-type: none"> - 測量值 1.93 mW (條件 1) - 測量值 2.02 mW (條件 3) <p>(閾值 <1 mW)</p> <p>不合格指示 - 產品名稱、型號、生產日期、地址和電話號碼以及使用注意事項均未標明 - 未提供警告標籤 - 未提供任何文檔</p> <p>Laser Rating Exceeds Threshold - Measurement 1.93 mW (Condition 1)</p> <p>- Measurement 2.02 mW (Condition 3) (Threshold <1mW)</p> <p>Indication Non-Conforming - Product name, type, date of manufacture, address and telephone number, and precautions for use are not indicated - No warning label provided - No documentation provided</p>	<p>聯繫或訪問服務台接受維修，換貨，退款等。消費者擁有該產品的人應立即停止使用。</p> <p>Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	
9	韓國(Korea)	<p>品牌(Brand)：볼트몬스터</p> <p>品名(Name)：電池 (battery)</p> <p>型號 (Model)：BS50E48V15AO (Electric Bike: VU700 B)</p>	<p>當過電流流過時，有過熱引起點火或爆炸的危險</p> <p>錯誤資訊。</p> <p>There is a risk of ignition or explosion due to overheating when overcurrent flows There is a risk of misinformation</p>	<p>聯繫或訪問服務台接受維修，換貨，退款等。消費者擁有該產品的人應立即停止使用</p> <p>Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	
9	韓國(Korea)	<p>品牌(Brand)：플린타</p> <p>品名(Name)：加熱墊 (Electric cushion)</p> <p>型號 (Model)：FEC240</p>	<p>正常使用過程中，如果接觸到新的地方，可能會有燙傷的風險。</p> <p>存在提供虛假資訊的風險。</p> <p>If you come into contact with a new place during normal use, there is a risk of burns. There is a risk of providing false information.</p>	<p>聯繫或訪問服務台接受維修，換貨，退款等。消費者擁有該產品的人應立即停止使用</p> <p>Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	

2026年2月電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
9	韓國(Korea)	<p>品牌(Brand) : 오리지니크 品名(Name) : 插頭及插座 (Plugs and outlets) 型號 (Model) : Smart Square1</p>	<p>如果溫度超過標準值，則存在產品起火的風險。 If the standard temperature is exceeded, there is a risk of product fire</p>	<p>聯繫或訪問服務台接受維修，換貨，退款等。消費者擁有該產品的人應立即停止使用 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	
9	韓國(Korea)	<p>品牌(Brand) : 티메코 品名(Name) : 插頭及插座 (Plugs and outlets) 型號 (Model) : E16C</p>	<p>如果溫度超過標準值，則存在產品起火的風險。 If the standard temperature is exceeded, there is a risk of product fire</p>	<p>聯繫或訪問服務台接受維修，換貨，退款等。消費者擁有該產品的人應立即停止使用 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	
9	韓國(Korea)	<p>品牌(Brand) : 제로캡 品名(Name) : 插頭及插座 (Plugs and outlets) 型號 (Model) : PRO-BS163-YS</p>	<p>當產品溫度超過參考溫度時，存在產品起火的風險。 產品長期使用和老化過程中，由於端子鬆動，可能導致短路和過熱。 There is a risk of product fire when the reference temperature is exceeded Short circuit and excessive temperature may occur due to loose terminals during long-term use of the product and product aging.</p>	<p>聯繫或訪問服務台接受維修，換貨，退款等。消費者擁有該產品的人應立即停止使用 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	
9	韓國(Korea)	<p>品牌(Brand) : 리립 品名(Name) : 華夫機 (Waffle Appliance) 型號 (Model) : LW-S2805</p>	<p>正常使用過程中，溫度過高可能導致火災風險。 存在提供錯誤資訊的風險。 There is a risk of fire due to excessive temperature rise during normal use. There is a risk of providing incorrect information.</p>	<p>聯繫或訪問服務台接受維修，換貨，退款等。消費者擁有該產品的人應立即停止使用 Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	

2026 年 2 月 電子電氣產品召回案例 (亞太地區)

周	通報國家/地區	產品	危險	通報國家採取的措施	照片
9	韓國(Korea)	<p>品牌(Brand) : 템플러</p> <p>品名(Name) : 直流電源 (Direct current power supply)</p> <p>型號 (Model) : TEM-P19-212</p>	<p>正常使用過程中，由於溫度過高，存在發生火災的風險。</p> <p>There is a risk of fire due to excessive temperature rise during normal use.</p>	<p>聯繫或訪問服務台接受維修，換貨，退款等。消費者擁有該產品的人應立即停止使用</p> <p>Contact or visit the contact desk to receive repairs, exchanges, refunds, etc. Consumers who have the product should stop using it immediately.</p>	