



1. The “Use of the Marks” is governed by the Testing and Certification Regulations, TÜV SÜD Group and Clause 8 of the Technical Requirements for Management System Certification which states:

**8 Use of the TÜV SÜD PSB Certification Marks and Accreditation Marks (“Collectively the Marks”)**

- 8.1 The issue of the Certificate entitles the organization to use the relevant TÜV SÜD PSB Mark(s) in accordance with the provisions set out therein. If the Certificate bears an accreditation Mark, or the organization has been advised that TÜV SÜD PSB is accredited for the process(es) certified, then the appropriate accreditation Mark(s) may be used together with the relevant TÜV SÜD PSB certification Mark(s).
- 8.2 The TÜV SÜD PSB Mark shall only be used by the certified organization and shall always be used in conjunction with the organization’s name, certificate number (optional – depends on the artwork design) and in connection with the process(es) listed in the Certificate. A copy of the use of the TÜV SÜD PSB certification Mark(s) and accreditation Marks shall be provided upon registration of the Certificate.
- 8.3 The TÜV SÜD PSB certification Mark(s) and accreditation Marks may be used

- in outdoor advertising/advertising in the reception area;
- in corporate videos;
- in corporate presentations;
- in company brochures;
- on business stationery;
- in advertisements and catalogs;
- on posters;
- at trade-fair stands;
- within the scope of marketing campaigns;
- at events;
- on the organization’s website;
- on the Internet and Intranet;
- in newsletters to clients and staff
- letterheads of the organization
- on business cards

The organization shall identify the processes to which the Certificate applies when using the Marks in a context where the scope of the certification is in doubt.

- 8.4 The Marks shall not be directly applied on the organization’s product and its packaging or be associated with the organization’s product in such a way as to imply that the product itself is certified by TÜV SÜD PSB.

In addition, use of any statement on product packaging that the client has a certified **FSMS**, is **prohibited**. This includes all product packaging, both primary packaging (which contains the product) and any outer or secondary packaging.

- 8.5 The Marks shall not be applied to laboratory test, calibration or inspection reports, certificates, email signature, invoices and certificate attendance.

- 8.6 Textual presentation

The use text to advertise a successful certification is allowed. There shall not be any additional statements that go beyond the actual contents of the certification mark nor shall there be any falsifying or misleading statements.

**Examples of permitted statements:**

- “Our quality management system is certified according to ISO 9001”,
- “Our energy management is certified according to ISO 50001”,
- “Our organization is certified according to ISO 9001”,
- “Quality management system certified by TÜV SÜD PSB Pte Ltd according to ISO 9001”,

**Examples of non-permitted statements:**

- “Our quality is certified according to ISO 9001”,
- “Excellent performance based on certification according to ISO 9001”,
- “Top consulting based on our certification according to ISO 9001”

**INSTRUCTIONS TO CERTIFIED ORGANISATIONS ON THE USE OF  
TÜV SÜD PSB CERTIFICATION AND ACCREDITATION MARKS**



- |  |
|--|
| <p>8.7 The organization shall discontinue immediately the use of the Marks upon expiry or revocation of the Certificate, or for whatever reason(s) as decided by TÜV SÜD PSB.</p> <p>8.8 All materials including but not limited to letterheads and advertisement brochures containing the Marks shall be submitted for TÜV SÜD PSB's written approval prior to their use and or release to the public.</p> <p>8.9 Upon any reduction of the scope(s) of certification, all materials including but not limited to letterheads and advertisement brochures containing the Marks shall be submitted for TÜV SÜD PSB's written approval prior to their use and or release to the public.</p> |
|--|

2. Each certified organization is given a Certificate, which will indicate the Marks allowed for use.
3. A certified organization may use the given Accreditation Mark. However, the Accreditation Mark must be used together with the respective Certification Mark. The Marks are to be positioned side-by-side and boxed up together.
4. Refer to the specimens of the Marks for the colour breakdown and the types and sizes of fonts.
5. Refer to the attachment for examples of use of the Marks.
6. Approval from TÜV SÜD PSB is required for the use of the Mark prior to printing. You could email your request to Certification @ [CRTEchnical@tuevsued.onmicrosoft.com](mailto:CRTEchnical@tuevsued.onmicrosoft.com)
7. TÜV SÜD PSB reserves the rights to make amendments to this set of instructions and customers will be informed via written notice of any significant changes.




**SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN**

TÜV SÜD PSB CERTIFICATION MARKS

ISO 9001 (QMS)	ISO 14001 (EMS)
<p>*X: A minimum distance must be kept on all sides of the certification mark, namely the thickness of the octagon.</p>	<p>CERT NO.: XXXX-XXXX ISO 14001 : XXXX</p>
ISO 14064-1 (GHG)	ISO 20121 (EvMS)
<p>STATEMENT NO.: GHG-XXXX-XXXX ISO 14064-1 : XXXX</p>	<p>CERT NO.: EvMS-XXXX-XXXX ISO 20121 : XXXX</p>
ISO 22000 (FSMS)	ISO 22301 (BCM)
<p>CERT NO.: FSMS-XXXX-XXXX ISO 22000 : XXXX</p>	<p>CERT NO.: BCM-ISO22301-XXXX ISO 22301 : XXXX</p>
ISO 22716	ISO 28000 (SC SMS)
<p>CERT NO.: GMP22716-XXXX ISO 22716 : XXXX</p>	<p>CERT NO.: SC SMS-XXXX-XXXX ISO 28000 : XXXX</p>




SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
TÜV SÜD PSB CERTIFICATION MARKS	
ISO 37001 (ABMS)	ISO 41001(FMS)
 <p>CERT NO.: ABMS-XXXX-XXXX ISO 37001 : XXXX</p>	 <p>CERT NO.: FMS-41001-XXXX-XXXX ISO 41001 : XXXX</p>
ISO 45001 (OHSMS)	ISO 46001 (WEMS)
 <p>CERT NO.: OHS-45001-XXXX-XXXX ISO 45001 : 2018</p>	 <p>CERT NO.: WEMS-46001-XXXX-XXXX ISO 46001 : XXXX</p>
ISO 50001 (EnMS)	ISO 55001 (AMS)
 <p>CERT NO.: EnMS-2025-XXXX ISO 50001 : XXXX</p>	 <p>CERT NO.: AMS-XXXX-XXXX ISO 55001 : XXXX</p>
ISO/IEC 20000-1 (ITSMS)	ISO/IEC 27001 (ISMS)
 <p>CERT NO.: IT SMS-XXXX-XXXX ISO/IEC 20000-1 : XXXX</p>	 <p>CERT NO.: IS27-XXXX-XXXX ISO/IEC 27001 : XXXX</p>











SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
TÜV SÜD PSB CERTIFICATION MARKS	
ISO/IEC 27017	ISO/IEC 27018
 <p>CERT NO.: IS27K17-XXXX-XXXX ISO/IEC 27017 : XXXX</p>	 <p>CERT NO.: IS27K18-XXXX-XXXX ISO/IEC 27018 : XXXX</p>
ISO/IEC 27701	ISO/IEC 29110
 <p>CERT NO.: IS27701-XXXX-XXXX ISO/IEC 27701 : XXXX</p>	 <p>CERT NO.: 29110-4-1-XXXX-XX ISO/IEC 29110-4-1 : XXXX</p>
ISO/IEC 42001 (AIMS)	ANS/ESD S20.20 (ESD)
 <p>CERT NO.: AIMS-42001-XXXX-XXX ISO/IEC 42001 : XXXX</p>	 <p>CERT NO.: ESD-XXXX-XXXX ANS/ESD S20.20 : XXXX</p>
Good Manufacturing Practice (GMP)	SS 444 (HACCP)
 <p>CERT NO.: GMP-XXXX-XXXX Codex GMP XXXX</p>	 <p>CERT NO.: H-XXXX-XXXX SS 444 : XXXX</p>



SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
TÜV SÜD PSB CERTIFICATION MARKS	
SS 507 (BC/DR)	SS 524 (QMBS)
 CERT NO.: BC/DR-XXXX-XXXX SS 507 : XXXX	 CERT NO.: SS524-XXXX SS 524 : XXXX
SS 564 (GDC)	SS 584 (MTCS)
 CERT NO.: GDC-SS564-XXXX SS 564 Part-1 : XXXX	 CERT NO.: MTCS-XXXX-XXXX SS 584 : XXXX
SS 590 (HACCP)	SS 620 (GDPMDS)
 CERT NO.: SS 590-XXXX-XXXX SS 590 : XXXX	 CERT NO.: GDP-XXXX-XXXX SS 620 : XXXX
SS 651 (SHMS)	SS 714 (DPTM)
 CERT NO.: SH-SS651-XXXX SS 651 : XXXX	 CERT NO.: DPTM-XXXX-XXXX SS 714 : XXXX









SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
Multiple Schemes Format	
2 SCHEMES FORMAT	3 SCHEMES FORMAT
 <p>CERT NO.: XXXX-X-XXXX ISO 9001 : XXXX CERT NO.: XXXX-XXXX ISO 14001 : XXXX</p>	 <p>CERT NO.: XXXX-X-XXXX ISO 9001 : XXXX CERT NO.: XXXX-XXXX ISO 14001 : XXXX CERT NO.: OHS-45001-XXXX-XXXX ISO 45001 : XXXX</p>
MONOTONE	WITHOUT CERTIFICATE NUMBER FORMAT
<div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px;">100% Black color</div> <div style="border: 1px solid black; padding: 2px;">White color background</div> </div>  <div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px;">TUV, horizontal line and SUD color is 100% Black in color</div> <div style="border: 1px solid black; padding: 2px;">Text color: White color</div> </div> <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">Font Size: Arial Narrow maximum 10pts minimum 4pts</div> <p>CERT NO.: XXXX-X-XXXX ISO 9001 : XXXX</p>	
TÜV SÜD PSB CERTIFICATION MARK WITH SAC'S ACCREDITATION MARK	
<div style="border: 1px dashed black; padding: 10px;">   <p>CERT NO.: XXXX-X-XXXX ISO 9001 : XXXX</p> </div> <p>Sample of ISO 9001 with certificate number</p>	<div style="border: 1px dashed black; padding: 10px;">   </div> <p>Sample of ISO 9001 without certificate number</p>



SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
Accreditation Mark	
SAC – QMS / QMBS	SAC – EMS
<p>Red (Pantone 032C)</p> <p>Dark Grey (Pantone 432C)</p> <p>Dark Grey (Pantone 432C)</p> <p>QS-2001-11</p> <p>To be typeset by user Typeface: Univers 65 Bold or Arial Bold</p>	<p>ES-2016-02</p>
SAC – AMS	SAC – BCM
<p>AM-2016-01</p>	<p>BC-2011-02</p>
SAC – EnMS	SAC – GPDMDS
<p>ENMS-2014-02</p>	<p>GDPMDS-2009-04</p>









SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
Accreditation Mark	
SAC – FSMS	SAC – SS 590 / SS 444 (HACCP)
 <p>Accredited Certification Body SAC FS-2007-01</p>	 <p>Accredited Certification Body SAC HACCP-2007-03</p>
SAC – OHSMS /SS506 P1 / SS506 P3 / ISO 45001 / SS651	SAC – MTCS Multi-Tier Cloud Security
 <p>Accredited Certification Body SAC OSH-2010-05</p>	 <p>Accredited Certification Body SAC MTCS-2016-03</p>
SAC – WEMS	SAC - ISMS
 <p>Accredited Certification Body SAC WEMS-2013-02</p>	 <p>Accredited Certification Body SAC ISMS-2019-01</p>



SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
Accreditation Mark	
SAC - ABMS	SAC - CORSIA
<p>Accredited Certification Body SAC ABMS-2018-02</p>	<p>Accredited Facility SAC VB-2019-02</p>
SAC - AO	SAC - DPTM
<p>Accredited Facility SAC AO-2019-24</p>	<p>Accredited Certification Body SAC DPTM-2025-03</p>
SAC - AIMS	APMG – IT SMS
<p>Accredited Certification Body SAC AIMS-2025-02</p>	<p>Blue - Pantone 288 Font: Times</p> <p>Red - Pantone 1795</p>



SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
Accreditation Mark	
ESD S20.20 : 2021	CSA Cyber Essentials
	
CSA Cyber Essentials for CMS Vendor	CSA Cyber Essentials for ICT Vendor
	
CSA Cyber Trust - Supporter	CSA Cyber Trust - Practitioner
	



SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
Accreditation Mark	
CSA Cyber Trust - Promoter	CSA Cyber Trust - Performer
<p><b>CYBER TRUST</b> Promoter Certified</p>	<p><b>CYBER TRUST</b> Performer Certified</p>
CSA CyberTrust - Advocate	
<p><b>CYBER TRUST</b> Advocate Certified</p>	