

**INSTRUCTIONS TO CERTIFIED
ORGANISATIONS ON THE USE
OF TÜV SÜD PSB
CERTIFICATION AND
ACCREDITATION MARKS**



- 1 Use of the Marks is governed by the Testing and Certification Regulations, TÜV SÜD Group and Clause 8 of the Technical Requirements for Management System Certification:

8 Use of the TÜV SÜD PSB Certification Marks and Accreditation Marks (“Collectively the Marks”)

8.1 The issue of the Certificate entitles the organisation to use the relevant TÜV SÜD PSB Mark(s) in accordance with the provisions set out therein. If the Certificate bears an accreditation Mark, or the organisation has been advised that TÜV SÜD PSB is accredited for the process(es) certified, then the appropriate accreditation Mark(s) may be used together with the relevant TÜV SÜD PSB certification Mark(s).

8.2 The TÜV SÜD PSB Mark shall only be used by the certified organisation and shall always be used in conjunction with the organisation’s name, certificate number (optional – depends on the artwork design) and in connection with the process(es) listed in the Certificate. A copy of the use of the TÜV SÜD PSB certification Mark(s) and accreditation Marks shall be provided upon registration of the Certificate.

8.3 The TÜV SÜD PSB certification Mark(s) and accreditation Marks may be used

- in outdoor advertising/advertising in the reception area;
- in corporate videos;
- in corporate presentations;
- in company brochures;
- on business stationery;
- in advertisements and catalogs;
- on posters;
- at trade-fair stands;
- within the scope of marketing campaigns;
- at events;
- on the organization’s website;
- on the Internet and Intranet;
- in newsletters to clients and staff
- letterheads of the organization

The organization shall identify the processes to which the Certificate applies when using the Marks in a context where the scope of the certification is in doubt.

8.4 The Marks shall not be directly applied on the organisation’s product and its packaging or be associated with the organisation’s product in such a way as to imply that the product itself is certified by TÜV SÜD PSB.

8.5 The Marks shall not be applied to laboratory test, calibration or inspection reports, certificates, email signature and certificate attendance.

8.6 Textual presentation

The use text to advertise a successful certification, is allowed. There shall not be any additional statements that go beyond the actual contents of the certification mark nor shall there be any falsifying or misleading statements.

Examples of permitted statements:

“Our quality management system is certified according to ISO 9001”,

“Our energy management is certified according to ISO 50001”,

“Our organization is certified according to ISO 9001”,

**INSTRUCTIONS TO CERTIFIED
ORGANISATIONS ON THE USE
OF TÜV SÜD PSB
CERTIFICATION AND
ACCREDITATION MARKS**



PSB Singapore

“Quality management system certified by TÜV SÜD PSB Pte Ltd according to ISO 9001”.

Examples of non-permitted statements:

“Our quality is certified according to ISO 9001”,

“Excellent performance based on certification according to ISO 9001”,

“Top consulting based on our certification according to ISO 9001”









- 8.7 The organization shall discontinue immediately the use of the Marks upon expiry or revocation of the Certificate, or for whatever reason(s) as decided by TÜV SÜD PSB.
- 8.8 All materials including but not limited to letterheads and advertisement brochures containing the Marks shall be submitted for TÜV SÜD PSB’s written approval prior to their use and or release to the public.
- 8.9 Upon any reduction of the scope(s) of certification, all materials including but not limited to letterheads and advertisement brochures containing the Marks shall be submitted for TÜV SÜD PSB’s written approval prior to their use and or release to the public.

- 2 Each certified organisation is given a Certificate, which will indicate the Marks allowed for use.
- 3 A certified organisation may use the given Accreditation Mark. However, the Accreditation Mark must be used together with the respective certification Mark. The Marks are to be positioned side-by-side and boxed up together.
- 4 Refer to the specimens of the Marks for the colour breakdown and the types and sizes of fonts.
- 5 Refer to the attachment for the examples of use of the Marks.
- 6 Approval from TÜV SÜD PSB is required for the use of the Mark prior to printing. You could email your request to Ms Amy Chan @ Amy.CHAN@tuv-sud-psb.sg
- 7 TÜV SÜD PSB reserves the rights to make amendments to this set of instructions and customers will be informed via written notice of any significant changes.

INSTRUCTIONS TO CERTIFIED ORGANISATIONS ON THE USE OF TÜV SÜD PSB CERTIFICATION AND ACCREDITATION MARKS



PSB Singapore

SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
TÜV SÜD PSB CERTIFICATION MARKS	
ISO 9001 : 2015 (QMS)	ISO 14001 : 2015 (EMS)
<div data-bbox="199 622 774 929"> <p>Octagon frame and slogan: Blue Pantone 293, solid color or 4c version, C=100, M=57, Y=0 & K=2</p> <p>TÜV, horizontal line and SÜD color is 100% Black in color</p> <p>Font Size: Arial Narrow (Bold) maximum 10pts minimum 4pts</p> <p>Octagon inside area color: White</p> <p>Text color: White</p>  <p>CERT NO.: XX-X-XXXX ISO 9001 : 2015</p> <p>*X: A minimum distance must be kept on all sides of the certification mark, namely the thickness of the octagon.</p> </div>	<div data-bbox="821 622 1380 929">  <p>CERT NO.: XX-XXXX ISO 14001 : 2015</p> </div>
SS 524 : 2014 (QMBS)	ISO 45001 : 2018 (OHSMS)
<div data-bbox="199 1019 805 1310">  <p>CERT NO.: SS524-XXXX SS 524 : 2014</p> </div>	<div data-bbox="821 1019 1380 1310">  <p>CERT NO.: OHS-45001-XXXX-XXXX ISO 45001 : 2018</p> </div>
BS OHSAS 18001 : 2007 (OHSMS)	SS 506 Part 1 : 2009 (OHSMS)
<div data-bbox="199 1355 805 1657">  <p>CERT NO.: OHS-XXXX-XXXX BS OHSAS 18001 : 2007</p> </div>	<div data-bbox="821 1355 1380 1657">  <p>CERT NO.: OHS-SS 506-XXXX SS 506 : Part 1 : 2009</p> </div>
SS 506 Part 3 : 2013 (OHSMS)	SS 651 : 2019
<div data-bbox="199 1713 805 2038">  <p>CERT NO.: OHS-SS 506-XXXX SS 506 : Part 3 : 2013</p> </div>	<div data-bbox="821 1713 1380 2038">  <p>CERT. NO.: SH-SS651-XXXX SS 651 : 2019</p> </div>

**INSTRUCTIONS TO CERTIFIED
ORGANISATIONS ON THE USE
OF TÜV SÜD PSB
CERTIFICATION AND
ACCREDITATION MARKS**



PSB Singapore

SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
TÜV SÜD PSB CERTIFICATION MARKS	
ISO 22000 : 2005 (FSMS)	ISO 22000 : 2018 (FSMS)
 CERT NO.: FSMS-XXXX-XXXX ISO 22000 : 2005	 CERT NO.: FSMS-XXXX-XXXX ISO 22000 : 2018
SS 590 : 2013 (HACCP)	SS 444 : 2010 (HACCP)
 CERT NO.: SS 590-XXXX-XXXX SS 590 : 2013	 CERT NO.: H-XXXX-XXXX CODEX CAC/RCP 1-1969, Rev 4 (2002) SS 444 : 2010
SS 444 : 2018	ISO 50001 : 2018 (EnMS)
 CERT NO.: H-XXXX-XXXX SS 444 : 2018	 CERT NO.: EnMS-XXXX-XXXX ISO 50001 : 2018
ISO 50001 : 2011 (EnMS)	ISO/IEC 27001 : 2013 (ISMS)
 CERT NO.: EnMS-XXXX-XXXX ISO 50001 : 2011	 CERT NO.: IS27-XXXX-XXXX ISO/IEC 27001 : 2013

**INSTRUCTIONS TO CERTIFIED
ORGANISATIONS ON THE USE
OF TÜV SÜD PSB
CERTIFICATION AND
ACCREDITATION MARKS**










PSB Singapore

SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
TÜV SÜD PSB CERTIFICATION MARKS	
ISO/IEC 20000-1 : 2011 (IT SMS)	ISO/IEC 20000-1 : 2018 (IT SMS)
 CERT NO.: IT SMS-XXXX-XXXX ISO/IEC 20000-1 : 2011	 CERT NO.: IT SMS-XXXX-XXXX ISO/IEC 20000-1 : 2018
ISO 22301 : 2012 (BCM)	ISO 22301 : 2019 (BCM)
 CERT NO.: BCM-ISO22301-XXXX ISO 22301:2012	 BCM-ISO22301-XXXX ISO 22301 : 2019
HSA TS-01-R2.1 : 2012 (GDPMDS)	SS 620 : 2016 (GDPMDS)
 CERT NO.: GDP-XXXX-XXXX HSA TS 01 R2.1 : 2012	 CERT NO.: GDP-XXXX-XXXX SS 620 : 2016
ISO 28000 : 2007 (SC SMS)	ANS/ESD S20.20 : 2014 (ESD)
 SC SMS-XXXX-XXXX ISO 28000 : 2007	 CERT NO.: ESD-XXXX-XXXX ANS/ESD S20.20 : 2014

**INSTRUCTIONS TO CERTIFIED
ORGANISATIONS ON THE USE
OF TÜV SÜD PSB
CERTIFICATION AND
ACCREDITATION MARKS**



PSB Singapore

SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
TÜV SÜD PSB CERTIFICATION MARKS	
ISO 55001 : 2014 (AMS)	ISO 37001:2016 (ABMS)
 CERT NO.: AMS-XXXX-XXXX ISO 55001 : 2014	 CERT NO.: ABMS-XXXX-XXXX ISO 37001 : 2016
ISO 46001:2019 (WEMS)	SS 507 : 2008 (BC/DR)
 CERT NO.: WEMS-XXXX-XXXX ISO 46001 : 2019	 CERT NO.: BC/DR-XXXX-XXXX SS 507 : 2008
SS 577 : 2012 (WEMS)	SS 564 : 2010 (GDC)
 CERT NO.: WEMS-XXXX-XXXX SS 577 : 2012	 CERT NO.: GDC-SS564-XXXX SS 564 : 2010
SS 584 : 2015 (MTCS)	PSB 100 : 2002 (QMET)
 CERT NO.: MTCS-XXXX-XXXX SS 584 : 2015	 CERT NO.: QMET-XXXX-XXXX PSB 100 : 2002

**INSTRUCTIONS TO CERTIFIED
ORGANISATIONS ON THE USE
OF TÜV SÜD PSB
CERTIFICATION AND
ACCREDITATION MARKS**



PSB Singapore

SPECIMENS OF MARKS & PROCESS COLOUR BREAKDOWN	
TÜV SÜD PSB CERTIFICATION MARKS	
ISO 14064 – 1 : 2006 (GHG)	ISO 22716 : 2007
<p>TÜV SÜD ISO 14064 GHG EMISSIONS, CALCULATION AND MONITORING SYSTEMS</p>	<p>TÜV SÜD ISO 22716 CERT NO.: GMP22716-XXXX ISO 22716 : 2007</p>

INSTRUCTIONS TO CERTIFIED ORGANISATIONS ON THE USE OF TÜV SÜD PSB CERTIFICATION AND ACCREDITATION MARKS











PSB Singapore

Multiple Schemes Format	
2 SCHEMES FORMAT	3 SCHEMES FORMAT
 CERT NO: XX-X-XXXX ISO 9001 : 2015 CERT NO: XX-XXXX ISO 14001 : 2015	 CERT NO: XX-X-XXXX ISO 9001 : 2015 CERT NO: XX-XXXX ISO 14001 : 2015 CERT NO: OHS-XXXX-XXXX OHSAS 18001 : 2007
MONOTONE	WITHOUT CERTIFICATE NUMBER FORMAT
<div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px;">100% Black color</div> <div style="border: 1px solid black; padding: 2px;">White color background</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="border: 1px solid black; padding: 2px;">TUV, horizontal line and SUD color is 100% Black in color</div> <div style="border: 1px solid black; padding: 2px;">Text color: White color</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="border: 1px solid black; padding: 2px;">Font Size: Arial Narrow maximum 10pts minimum 4pts</div> </div>	
TÜV SÜD PSB CERTIFICATION MARK WITH SAC'S ACCREDITATION MARK	
 Sample of ISO 9001 with certificate number	 Sample of ISO 9001 without certificate number

**INSTRUCTIONS TO CERTIFIED
ORGANISATIONS ON THE USE
OF TÜV SÜD PSB
CERTIFICATION AND
ACCREDITATION MARKS**











PSB Singapore

SAC – QMS / QMBS	SAC – EMS
 <p>Red (Pantone 032C)</p> <p>Dark Grey (Pantone 432C)</p> <p>Dark Grey (Pantone 432C)</p> <p>To be typeset by user Typeface: Univers 65 Bold or Arial Bold</p>	
SAC – AMS	SAC – BCM
	
SAC – EnMS	SAC – GPDMS
	
SAC – FSMS	SAC – SS 590 / SS 444 (HACCP)
	

**INSTRUCTIONS TO CERTIFIED
ORGANISATIONS ON THE USE
OF TÜV SÜD PSB
CERTIFICATION AND
ACCREDITATION MARKS**




PSB Singapore

SAC – OHSMS /SS506 P1 / SS506 P3 / ISO 45001 / SS651	SAC MTCS
	
SAC – WEMS	SAC - ISMS
	
SAC - ABMS	SAC - CORSIA
	
SAC - AO	APMG – IT SMS
	

**INSTRUCTIONS TO CERTIFIED
ORGANISATIONS ON THE USE
OF TÜV SÜD PSB
CERTIFICATION AND
ACCREDITATION MARKS**



PSB Singapore

ANSI/ESD S20.20 : 2014	
 The logo for the ESD Association, consisting of a large grey 'C' shape that is open on the right side. Inside the 'C' is a black triangle pointing upwards, with the letters 'ESD' in white inside the triangle. Below the triangle, the words 'ASSOCIATION' and '20.20 Certified' are written in black.	